

Table 7.1C Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLICIT DRUGS¹	963	909	969	940	899	974	927	966	1,023	1,036	956	1,015
Marijuana and Hashish	912	868	912	925	909	964	917	949	1,019	1,013	1,005	1,017
Cocaine	583	565	636	595	655	660	672	655	682	701	703	693
Crack	306	264	280	292	329	339	323	316	379	327	346	364
Heroin	223	205	193	226	238	240	224	217	249	227	245	281
Hallucinogens	602	589	618	608	644	640	647	666	687	628	674	707
LSD	514	494	506	521	520	550	548	564	560	530	561	580
PCP	284	271	298	289	294	298	339	298	321	307	311	346
Ecstasy	297	285	329	335	355	346	344	371	430	367	405	464
Inhalants	474	441	480	460	471	503	490	473	473	491	489	519
Nonmedical Use of Psychotherapeutics ^{2,3}	743	653	736	719	701	698	757	740	784	752	765	785
Pain Relievers	569	517	564	562	540	563	597	584	610	598	622	640
OxyContin [®]	116	140	134	142	168	181	187	222	246	211	245	280
Tranquilizers	497	435	490	480	477	469	506	494	494	494	563	576
Stimulants ³	515	475	498	491	508	472	546	509	557	500	556	501
Methamphetamine ³	417	403	401	375	413	368	400	404	452	410	426	393
Sedatives	370	325	403	347	353	360	401	354	355	353	377	377
ILLICIT DRUGS OTHER THAN MARIJUANA¹	815	756	827	835	809	858	855	877	900	889	873	923

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.1D Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLICIT DRUGS¹	0.41	0.38	0.40	0.39	0.37	0.39	0.37	0.38	0.40	0.40	0.37	0.39
Marijuana and Hashish	0.39	0.37	0.38	0.38	0.37	0.39	0.37	0.38	0.40	0.39	0.39	0.39
Cocaine	0.25	0.24	0.26	0.24	0.27	0.27	0.27	0.26	0.27	0.27	0.27	0.26
Crack	0.13	0.11	0.12	0.12	0.13	0.14	0.13	0.13	0.15	0.13	0.13	0.14
Heroin	0.10	0.09	0.08	0.09	0.10	0.10	0.09	0.09	0.10	0.09	0.09	0.11
Hallucinogens	0.26	0.25	0.26	0.25	0.26	0.26	0.26	0.26	0.27	0.24	0.26	0.27
LSD	0.22	0.21	0.21	0.21	0.21	0.22	0.22	0.22	0.22	0.21	0.22	0.22
PCP	0.12	0.11	0.12	0.12	0.12	0.12	0.14	0.12	0.13	0.12	0.12	0.13
Ecstasy	0.13	0.12	0.14	0.14	0.14	0.14	0.14	0.15	0.17	0.14	0.16	0.18
Inhalants	0.20	0.19	0.20	0.19	0.19	0.20	0.20	0.19	0.19	0.19	0.19	0.20
Nonmedical Use of Psychotherapeutics ^{2,3}	0.32	0.27	0.31	0.30	0.28	0.28	0.30	0.29	0.31	0.29	0.29	0.30
Pain Relievers	0.24	0.22	0.23	0.23	0.22	0.23	0.24	0.23	0.24	0.23	0.24	0.24
OxyContin [®]	0.05	0.06	0.06	0.06	0.07	0.07	0.07	0.09	0.10	0.08	0.09	0.11
Tranquilizers	0.21	0.18	0.20	0.20	0.19	0.19	0.20	0.20	0.19	0.19	0.22	0.22
Stimulants ³	0.22	0.20	0.21	0.20	0.21	0.19	0.22	0.20	0.22	0.19	0.21	0.19
Methamphetamine ³	0.18	0.17	0.17	0.15	0.17	0.15	0.16	0.16	0.18	0.16	0.16	0.15
Sedatives	0.16	0.14	0.17	0.14	0.14	0.15	0.16	0.14	0.14	0.14	0.14	0.14
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.35	0.32	0.34	0.34	0.33	0.35	0.34	0.35	0.35	0.35	0.34	0.35

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.1P Types of Illicit Drug Use in Lifetime among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0001	0.0000	0.0000	0.0000	0.0000	0.0100	0.0287	0.0222	0.0049	0.2653	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0027	0.0009	0.0739	
Cocaine	0.8295	0.3433	0.7025	0.1718	0.9855	0.6671	0.2553	0.5035	0.3082	0.9791	0.6902	
Crack	0.3111	0.8390	0.5055	0.5127	0.5999	0.6233	0.9841	0.7996	0.2224	0.3092	0.6470	
Heroin	0.0557	0.0598	0.0001	0.0085	0.0389	0.0292	0.0237	0.0067	0.1685	0.0973	0.5592	
Hallucinogens	0.1384	0.0610	0.0198	0.0006	0.0307	0.0005	0.0629	0.4429	0.3741	0.0050	0.1318	
LSD	0.0016	0.0060	0.3450	0.4847	0.8512	0.3769	0.9782	0.9407	0.4734	0.0926	0.3144	
PCP	0.0001	0.0026	0.0543	0.1686	0.1769	0.8635	0.2670	0.8767	0.9847	0.6014	0.7531	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0348	0.0000	0.0142	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0004	0.0008	0.0446	0.8284	0.7554	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7634	0.3865	0.6849	0.7797	0.2604	0.7546	0.1531	0.3763	0.6945	0.3651	0.1119	
Pain Relievers	0.0072	0.2337	0.3587	0.8145	0.7754	0.6479	0.1587	0.1829	0.4745	0.4951	0.0293	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0185	0.1150	0.0063	0.3663	
Tranquilizers	0.0128	0.1189	0.0198	0.3033	0.3298	0.0068	0.2925	0.3482	0.4912	0.0606	0.6519	
Stimulants ³	0.0000	0.0000	0.0003	0.1720	0.0016	0.0792	0.3544	0.0701	0.2920	0.2072	0.9616	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0138	0.0000	0.0049	0.0746	0.0394	0.0504	0.8522	0.8425	
Sedatives	0.0000	0.0000	0.0000	0.0000	0.0003	0.0083	0.0008	0.0055	0.4198	0.7316	0.3218	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7754	0.7199	0.4422	0.6484	0.8209	0.9385	0.2075	0.3614	0.4383	0.3383	0.6050	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.2C Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	588	558	535	550	566	596	553	598	646	603	648	677
Marijuana and Hashish	471	455	451	473	478	493	474	541	559	514	556	577
Cocaine	222	229	205	205	230	242	207	209	205	168	217	189
Crack	124	124	117	114	134	123	94	105	92	69	111	77
Heroin	55	48	56	43	86	54	59	79	75	72	78	70
Hallucinogens	151	147	153	146	149	140	130	158	178	143	175	204
LSD	63	44	47	48	56	55	50	55	72	60	85	81
PCP	25	24	28	21	38	19	14	22	24	20	34	21
Ecstasy	126	105	112	114	106	108	96	126	128	107	134	153
Inhalants	95	83	90	95	107	106	115	111	115	107	120	105
Nonmedical Use of Psychotherapeutics ^{2,3}	379	358	352	346	360	381	352	366	397	363	406	418
Pain Relievers	300	299	300	304	306	316	294	322	336	302	355	343
OxyContin [®]	--	--	74	81	93	96	88	105	116	104	105	119
Tranquilizers	225	195	208	207	197	222	200	222	207	211	252	230
Stimulants ³	154	136	157	134	180	152	123	149	158	151	161	178
Methamphetamine ³	116	100	128	99	137	115	75	100	105	118	113	114
Sedatives	116	85	72	74	99	94	61	80	103	64	66	84
ILLCIT DRUGS OTHER THAN MARIJUANA¹	432	420	410	398	418	449	407	420	446	404	459	469

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.2D Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.25	0.23	0.22	0.23	0.23	0.24	0.22	0.24	0.25	0.23	0.25	0.26
Marijuana and Hashish	0.20	0.19	0.19	0.19	0.19	0.20	0.19	0.21	0.22	0.20	0.21	0.22
Cocaine	0.09	0.10	0.09	0.08	0.09	0.10	0.08	0.08	0.08	0.07	0.08	0.07
Crack	0.05	0.05	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.03	0.04	0.03
Heroin	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03	0.03	0.03	0.03
Hallucinogens	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.06	0.07	0.06	0.07	0.08
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.03	0.03
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01
Ecstasy	0.05	0.04	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04	0.05	0.06
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.16	0.15	0.15	0.14	0.15	0.15	0.14	0.15	0.16	0.14	0.16	0.16
Pain Relievers	0.13	0.13	0.12	0.12	0.12	0.13	0.12	0.13	0.13	0.12	0.14	0.13
OxyContin [®]	--	--	0.03	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.04	0.05
Tranquilizers	0.10	0.08	0.09	0.08	0.08	0.09	0.08	0.09	0.08	0.08	0.10	0.09
Stimulants ³	0.07	0.06	0.07	0.06	0.07	0.06	0.05	0.06	0.06	0.06	0.06	0.07
Methamphetamine ³	0.05	0.04	0.05	0.04	0.06	0.05	0.03	0.04	0.04	0.05	0.04	0.04
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.04	0.02	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.18	0.18	0.17	0.16	0.17	0.18	0.16	0.17	0.18	0.16	0.18	0.18

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.2P Types of Illicit Drug Use in the Past Year among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0115	0.0013	0.0001	0.0000	0.0001	0.0001	0.0000	0.0454	0.1689	0.0055	0.7799	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0016	0.0009	0.1471	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0056	0.0742	0.3282	0.0673	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0251	0.9624	0.0260	
Heroin	0.0136	0.0002	0.0079	0.0009	0.4627	0.0017	0.0346	0.4673	0.7050	0.6152	0.9566	
Hallucinogens	0.0011	0.7446	0.4500	0.2227	0.4602	0.0840	0.0195	0.2611	0.3219	0.2492	0.7534	
LSD	0.9763	0.0000	0.0000	0.0000	0.0001	0.0000	0.0072	0.0035	0.0696	0.0365	0.7073	
PCP	0.0000	0.0000	0.0002	0.0051	0.0328	0.0532	0.5861	0.1980	0.7581	0.2755	0.0370	
Ecstasy	0.0000	0.1958	0.0109	0.0177	0.1144	0.0743	0.0437	0.0952	0.4250	0.5195	0.8266	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0002	0.0157	0.2732	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0512	0.0158	0.1344	0.0274	0.0001	0.0010	0.2646	0.0162	0.0317	0.4392	0.0121	
Pain Relievers	0.0138	0.0002	0.0116	0.0004	0.0000	0.0000	0.0018	0.0001	0.0014	0.5429	0.0019	
OxyContin [®]	--	--	0.4055	0.4234	0.8473	0.6664	0.5399	0.0531	0.0025	0.1685	0.7662	
Tranquilizers	0.6768	0.3295	0.4217	0.2310	0.6625	0.3247	0.7783	0.1600	0.1073	0.8343	0.0117	
Stimulants ³	0.2574	0.5313	0.8135	0.4788	0.0339	0.1813	0.0014	0.2608	0.0446	0.0011	0.5467	
Methamphetamine ³	0.0000	0.0002	0.0000	0.0003	0.0000	0.1602	0.0347	0.8419	0.2172	0.4129	0.9023	
Sedatives	0.0033	0.0271	0.1503	0.1479	0.0106	0.0482	0.8633	0.0683	0.0277	0.3202	0.6767	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0001	0.0151	0.0035	0.0000	0.0002	0.0727	0.0013	0.0246	0.3669	0.0163	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.3C Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	388	404	415	432	427	445	427	457	488	460	492	509
Marijuana and Hashish	320	327	360	360	357	359	377	395	407	409	431	442
Cocaine	128	147	119	142	153	149	131	136	108	106	142	133
Crack	68	91	66	87	101	80	55	77	60	42	94	64
Heroin	42	28	37	19	77	38	39	37	43	48	51	43
Hallucinogens	80	72	58	83	70	75	68	92	84	60	90	132
LSD	18	18	26	16	24	33	19	22	20	23	31	37
PCP	15	13	17	13	9	13	8	18	21	10	13	15
Ecstasy	64	55	47	44	51	56	51	69	61	45	72	91
Inhalants	64	45	64	57	73	67	71	58	83	68	65	64
Nonmedical Use of Psychotherapeutics ^{2,3}	230	256	212	232	244	251	225	250	268	231	265	256
Pain Relievers	186	207	170	194	217	214	196	214	215	189	211	206
OxyContin [®]	--	--	36	38	35	53	58	59	67	54	46	81
Tranquilizers	136	118	103	118	115	129	118	137	138	133	162	121
Stimulants ³	94	102	99	81	105	94	75	99	86	89	101	116
Methamphetamine ³	78	81	76	62	79	80	53	67	53	72	74	85
Sedatives	64	55	48	47	69	68	37	55	72	49	50	67
ILLCIT DRUGS OTHER THAN MARIJUANA¹	276	289	255	279	284	306	261	292	300	256	309	306

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.3D Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.17	0.17	0.17	0.18	0.17	0.18	0.17	0.18	0.19	0.18	0.19	0.19
Marijuana and Hashish	0.14	0.14	0.15	0.15	0.15	0.14	0.15	0.16	0.16	0.16	0.17	0.17
Cocaine	0.05	0.06	0.05	0.06	0.06	0.06	0.05	0.05	0.04	0.04	0.05	0.05
Crack	0.03	0.04	0.03	0.04	0.04	0.03	0.02	0.03	0.02	0.02	0.04	0.02
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.01	0.02	0.02	0.02	0.02
Hallucinogens	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.04	0.03	0.02	0.03	0.05
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
PCP	0.01	0.01	0.01	0.01	0.00	0.01	0.00	0.01	0.01	0.00	0.00	0.01
Ecstasy	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.02	0.03	0.03
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.03	0.03	0.02	0.02
Nonmedical Use of Psychotherapeutics ^{2,3}	0.10	0.11	0.09	0.10	0.10	0.10	0.09	0.10	0.11	0.09	0.10	0.10
Pain Relievers	0.08	0.09	0.07	0.08	0.09	0.09	0.08	0.09	0.08	0.07	0.08	0.08
OxyContin [®]	--	--	0.02	0.02	0.01	0.02	0.02	0.02	0.03	0.02	0.02	0.03
Tranquilizers	0.06	0.05	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.05
Stimulants ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.04	0.03	0.03	0.04	0.04
Methamphetamine ³	0.03	0.03	0.03	0.03	0.03	0.03	0.02	0.03	0.02	0.03	0.03	0.03
Sedatives	0.03	0.02	0.02	0.02	0.03	0.03	0.01	0.02	0.03	0.02	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.12	0.12	0.11	0.11	0.12	0.12	0.10	0.12	0.12	0.10	0.12	0.12

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.3P Types of Illicit Drug Use in the Past Month among Persons Aged 12 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0133	0.1133	0.0167	0.4809	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0032	0.0247	0.1983	
Cocaine	0.0003	0.0000	0.0004	0.0000	0.0000	0.0018	0.0230	0.4165	0.8831	0.3592	0.5526	
Crack	0.0099	0.0153	0.1707	0.0016	0.0037	0.0114	0.9613	0.1657	0.8722	0.0568	0.5388	
Heroin	0.0994	0.0026	0.0658	0.0023	0.4345	0.0429	0.2708	0.1189	0.4880	0.9624	0.4630	
Hallucinogens	0.9917	0.2360	0.0296	0.3232	0.0900	0.0722	0.1456	0.9156	0.5851	0.0145	0.2272	
LSD	0.0141	0.0538	0.1058	0.0047	0.0482	0.1345	0.1376	0.1293	0.1019	0.0965	0.3754	
PCP	0.1675	0.1631	0.3963	0.3686	0.9950	0.5421	0.7101	0.3342	0.8687	0.7320	0.9804	
Ecstasy	0.4134	0.1984	0.1077	0.2499	0.3726	0.2426	0.4187	0.2397	0.6007	0.2801	0.8214	
Inhalants	0.0267	0.0967	0.0339	0.0658	0.0016	0.1069	0.0687	0.3161	0.0386	0.1297	0.9873	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.1434	0.0951	0.5990	0.1373	0.0034	0.0250	0.9102	0.0348	0.0715	0.4651	0.2760	
Pain Relievers	0.2147	0.0324	0.3069	0.0769	0.0011	0.0014	0.1240	0.0013	0.0205	0.9063	0.2010	
OxyContin [®]	--	--	0.1259	0.1460	0.0255	0.3108	0.7349	0.7025	0.3753	0.6046	0.1725	
Tranquilizers	0.1130	0.0776	0.7243	0.1550	0.3165	0.1954	0.2849	0.0264	0.0043	0.3392	0.0246	
Stimulants ³	0.5716	0.6189	0.6763	0.5691	0.4914	0.1017	0.0032	0.9397	0.1044	0.0095	0.2465	
Methamphetamine ³	0.1721	0.0952	0.1420	0.4391	0.1226	0.7802	0.0068	0.5132	0.0250	0.1641	0.1868	
Sedatives	0.0160	0.4103	0.6516	0.6210	0.1105	0.2507	0.9820	0.1389	0.1750	0.8454	0.7965	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0094	0.0126	0.4214	0.0168	0.0003	0.0089	0.4296	0.0384	0.1380	0.2203	0.4960	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.4C Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	104	107	96	100	104	103	98	103	102	103	92	97
Marijuana and Hashish	88	91	87	85	87	88	82	86	91	89	82	86
Cocaine	36	36	33	34	32	32	32	28	26	26	23	19
Crack	17	17	14	14	15	13	12	10	11	16	10	5
Heroin	14	11	12	10	11	10	13	9	9	12	12	9
Hallucinogens	49	48	45	44	42	41	41	43	44	43	39	35
LSD	34	26	24	23	21	18	21	20	21	19	21	19
PCP	20	20	18	19	16	14	12	13	11	10	13	8
Ecstasy	40	32	31	26	28	30	33	34	35	37	30	24
Inhalants	67	68	67	67	66	68	65	66	61	58	51	52
Nonmedical Use of Psychotherapeutics ^{2,3}	75	76	70	72	75	74	69	70	68	64	64	63
Pain Relievers	69	70	67	65	68	69	66	64	64	59	58	58
OxyContin [®]	21	20	24	21	24	25	23	27	28	25	23	22
Tranquilizers	38	40	36	38	36	37	35	33	36	37	38	33
Stimulants ³	46	41	38	41	43	34	39	31	31	31	28	28
Methamphetamine ³	29	24	25	26	28	19	22	20	18	21	15	14
Sedatives	22	22	23	22	19	20	18	21	17	16	17	14
ILLCIT DRUGS OTHER THAN MARIJUANA¹	89	97	84	87	87	92	83	88	87	82	77	77

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.4D Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.42	0.43	0.38	0.39	0.41	0.41	0.39	0.42	0.42	0.41	0.37	0.39
Marijuana and Hashish	0.36	0.37	0.34	0.33	0.34	0.35	0.33	0.35	0.37	0.35	0.33	0.35
Cocaine	0.15	0.15	0.13	0.14	0.13	0.13	0.13	0.11	0.11	0.11	0.09	0.08
Crack	0.07	0.07	0.06	0.05	0.06	0.05	0.05	0.04	0.04	0.06	0.04	0.02
Heroin	0.05	0.04	0.05	0.04	0.04	0.04	0.05	0.04	0.04	0.05	0.05	0.04
Hallucinogens	0.20	0.19	0.18	0.17	0.17	0.16	0.16	0.18	0.18	0.17	0.15	0.14
LSD	0.14	0.10	0.09	0.09	0.08	0.07	0.08	0.08	0.09	0.08	0.09	0.08
PCP	0.08	0.08	0.07	0.08	0.06	0.05	0.05	0.05	0.05	0.04	0.05	0.03
Ecstasy	0.16	0.13	0.12	0.10	0.11	0.12	0.13	0.14	0.14	0.15	0.12	0.10
Inhalants	0.27	0.27	0.27	0.26	0.26	0.27	0.26	0.27	0.25	0.23	0.21	0.21
Nonmedical Use of Psychotherapeutics ^{2,3}	0.30	0.30	0.28	0.28	0.30	0.29	0.28	0.28	0.28	0.26	0.26	0.25
Pain Relievers	0.28	0.28	0.27	0.26	0.27	0.27	0.26	0.26	0.26	0.23	0.23	0.23
OxyContin [®]	0.09	0.08	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.10	0.09	0.09
Tranquilizers	0.16	0.16	0.14	0.15	0.14	0.15	0.14	0.13	0.15	0.15	0.15	0.13
Stimulants ³	0.19	0.16	0.15	0.16	0.17	0.13	0.16	0.12	0.13	0.12	0.11	0.11
Methamphetamine ³	0.12	0.10	0.10	0.10	0.11	0.07	0.09	0.08	0.08	0.08	0.06	0.06
Sedatives	0.09	0.09	0.09	0.09	0.08	0.08	0.07	0.09	0.07	0.06	0.07	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.36	0.39	0.33	0.34	0.34	0.36	0.33	0.36	0.36	0.33	0.31	0.31

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.4P Types of Illicit Drug Use in Lifetime among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0793	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0631	0.0716	0.6557	0.7147	0.2049	0.2028	0.0287	0.2814	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0998	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0018	0.0064	0.2868	
Heroin	0.0006	0.0039	0.0097	0.1159	0.1385	0.2435	0.0804	0.1470	0.4857	0.0513	0.1537	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.0000	0.0000	0.0000	0.0000	0.0231	
LSD	0.0000	0.0000	0.0035	0.0339	0.8250	0.3994	0.0611	0.2588	0.5909	0.7851	0.3394	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0001	0.0010	0.0251	0.0175	0.0008	
Ecstasy	0.0000	0.0000	0.0002	0.5354	0.0085	0.0648	0.0001	0.0000	0.0000	0.0000	0.0024	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0012	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	
OxyContin [®]	0.1077	0.4635	0.4008	0.9219	0.0499	0.0160	0.0263	0.0018	0.0037	0.0041	0.1443	
Tranquilizers	0.0000	0.0000	0.0000	0.0003	0.0015	0.0007	0.0019	0.0060	0.0008	0.0125	0.0106	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0101	0.0969	0.1582	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0039	0.0033	0.0567	0.0093	0.2150	
Sedatives	0.0000	0.0000	0.0000	0.0001	0.0001	0.0007	0.0010	0.0001	0.0116	0.3895	0.0222	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.5C Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	95	91	87	88	95	88	87	90	94	93	83	86
Marijuana and Hashish	79	79	77	75	78	75	73	78	84	83	75	78
Cocaine	32	28	27	28	28	27	24	22	22	20	19	15
Crack	14	13	10	10	12	11	8	7	5	7	8	4
Heroin	11	8	10	8	8	6	11	7	8	11	9	8
Hallucinogens	40	37	36	36	34	34	35	38	40	35	32	29
LSD	25	15	17	17	14	15	18	14	17	18	16	15
PCP	13	12	12	14	11	9	10	10	8	7	11	7
Ecstasy	32	23	23	21	23	26	27	29	32	29	23	19
Inhalants	44	48	45	47	45	43	44	42	42	40	34	29
Nonmedical Use of Psychotherapeutics ^{2,3}	64	64	59	61	62	63	58	59	58	53	53	50
Pain Relievers	59	59	56	56	56	59	54	54	54	48	47	46
OxyContin [®]	--	--	18	18	18	19	17	20	24	18	17	16
Tranquilizers	34	33	29	29	30	31	29	26	30	31	31	24
Stimulants ³	35	30	28	31	33	27	28	23	24	23	23	21
Methamphetamine ³	22	17	17	20	21	14	14	13	15	16	12	10
Sedatives	16	16	15	16	13	15	14	16	14	12	11	11
ILLCIT DRUGS OTHER THAN MARIJUANA¹	76	79	71	71	73	73	69	72	74	65	64	59

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.5D Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.38	0.36	0.34	0.35	0.37	0.35	0.35	0.36	0.38	0.37	0.33	0.35
Marijuana and Hashish	0.32	0.31	0.31	0.30	0.31	0.30	0.29	0.32	0.34	0.33	0.30	0.31
Cocaine	0.13	0.11	0.11	0.11	0.11	0.11	0.10	0.09	0.09	0.08	0.08	0.06
Crack	0.06	0.05	0.04	0.04	0.05	0.04	0.03	0.03	0.02	0.03	0.03	0.02
Heroin	0.04	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.05	0.04	0.03
Hallucinogens	0.16	0.15	0.14	0.14	0.13	0.14	0.14	0.16	0.16	0.14	0.13	0.12
LSD	0.10	0.06	0.07	0.07	0.05	0.06	0.07	0.06	0.07	0.07	0.07	0.06
PCP	0.05	0.05	0.05	0.06	0.04	0.04	0.04	0.04	0.03	0.03	0.04	0.03
Ecstasy	0.13	0.09	0.09	0.08	0.09	0.10	0.11	0.12	0.13	0.12	0.09	0.08
Inhalants	0.18	0.19	0.18	0.19	0.18	0.17	0.18	0.17	0.17	0.16	0.14	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.26	0.26	0.23	0.24	0.24	0.25	0.23	0.24	0.24	0.21	0.21	0.20
Pain Relievers	0.24	0.24	0.22	0.22	0.22	0.23	0.22	0.22	0.22	0.19	0.19	0.18
OxyContin [®]	--	--	0.07	0.07	0.07	0.07	0.07	0.08	0.10	0.07	0.07	0.06
Tranquilizers	0.14	0.13	0.12	0.11	0.12	0.12	0.12	0.11	0.12	0.12	0.13	0.09
Stimulants ³	0.14	0.12	0.11	0.12	0.13	0.11	0.11	0.09	0.10	0.09	0.09	0.09
Methamphetamine ³	0.09	0.07	0.07	0.08	0.08	0.06	0.06	0.05	0.06	0.06	0.05	0.04
Sedatives	0.07	0.06	0.06	0.06	0.05	0.06	0.06	0.06	0.06	0.05	0.05	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.31	0.32	0.28	0.28	0.29	0.29	0.28	0.29	0.30	0.26	0.26	0.24

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.5P Types of Illicit Drug Use in the Past Year among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0018	0.0002	0.0000	0.0000	0.0007	0.1506	
Marijuana and Hashish	0.0000	0.0006	0.0163	0.8214	0.6080	0.0316	0.4181	0.6187	0.2177	0.0845	0.9189	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0468	
Crack	0.0000	0.0000	0.0000	0.0001	0.0000	0.0000	0.0062	0.0197	0.2063	0.0244	0.3665	
Heroin	0.1412	0.6495	0.1981	0.6720	0.6599	0.4087	0.5195	0.7498	0.7936	0.1339	0.9771	
Hallucinogens	0.0000	0.0000	0.0000	0.0002	0.0003	0.0020	0.0000	0.0000	0.0000	0.0003	0.1074	
LSD	0.0000	0.9544	0.8029	0.9192	0.0261	0.2336	0.1308	0.7984	0.6357	0.7146	0.9164	
PCP	0.0000	0.0000	0.0021	0.0005	0.0272	0.0250	0.0049	0.1189	0.4951	0.2903	0.1289	
Ecstasy	0.0000	0.0013	0.0130	0.4890	0.0160	0.0039	0.0004	0.0000	0.0000	0.0000	0.0704	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0061	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0076	
OxyContin [®]	--	--	0.0791	0.1480	0.0485	0.0017	0.0015	0.0026	0.0021	0.0038	0.1171	
Tranquilizers	0.0000	0.0000	0.0000	0.0001	0.0007	0.0001	0.0002	0.0007	0.0007	0.0011	0.0079	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0038	0.0423	0.0699	0.4274	0.1033	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0185	0.2172	0.3654	0.1193	0.0832	0.5494	
Sedatives	0.0002	0.0006	0.0003	0.0044	0.0098	0.0137	0.0062	0.0010	0.0076	0.2219	0.2836	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.6C Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	71	67	67	64	67	68	61	66	70	68	63	62
Marijuana and Hashish	58	60	57	56	55	56	54	59	62	61	55	56
Cocaine	18	16	15	16	13	13	13	13	11	12	7	9
Crack	9	8	5	7	4	5	3	4	2	2	*	1
Heroin	5	6	5	5	5	2	6	5	3	8	*	5
Hallucinogens	20	20	19	19	18	17	21	20	21	22	17	17
LSD	12	10	8	8	7	8	10	7	10	8	6	10
PCP	6	6	5	6	5	5	4	5	3	2	3	3
Ecstasy	16	12	13	11	11	11	15	16	15	15	11	9
Inhalants	22	25	26	23	26	26	24	22	23	20	19	15
Nonmedical Use of Psychotherapeutics ^{2,3}	43	42	40	37	40	40	33	36	38	35	37	32
Pain Relievers	39	39	36	33	36	36	29	34	35	31	32	29
OxyContin [®]	--	--	10	7	6	8	8	11	10	10	10	7
Tranquilizers	18	22	15	17	14	19	16	15	15	17	19	12
Stimulants ³	22	19	19	18	17	14	14	14	15	12	14	12
Methamphetamine ³	14	11	12	13	10	8	6	8	8	8	6	6
Sedatives	9	10	6	6	8	9	8	9	8	6	6	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	48	49	44	48	49	42	45	47	42	43	37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.6D Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.29	0.27	0.27	0.25	0.27	0.27	0.25	0.27	0.29	0.27	0.25	0.25
Marijuana and Hashish	0.24	0.24	0.23	0.22	0.21	0.22	0.22	0.24	0.25	0.24	0.22	0.23
Cocaine	0.07	0.06	0.06	0.06	0.05	0.05	0.05	0.05	0.05	0.05	0.03	0.04
Crack	0.03	0.03	0.02	0.03	0.02	0.02	0.01	0.02	0.01	0.01	*	0.01
Heroin	0.02	0.02	0.02	0.02	0.02	0.01	0.03	0.02	0.01	0.03	*	0.02
Hallucinogens	0.08	0.08	0.07	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.07	0.07
LSD	0.05	0.04	0.03	0.03	0.03	0.03	0.04	0.03	0.04	0.03	0.02	0.04
PCP	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.04	0.04	0.04	0.06	0.06	0.06	0.06	0.04	0.04
Inhalants	0.09	0.10	0.10	0.09	0.10	0.10	0.10	0.09	0.10	0.08	0.08	0.06
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.14	0.16	0.16	0.13	0.15	0.16	0.14	0.15	0.13
Pain Relievers	0.16	0.15	0.14	0.13	0.14	0.14	0.12	0.14	0.14	0.12	0.13	0.11
OxyContin [®]	--	--	0.04	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.03
Tranquilizers	0.07	0.09	0.06	0.07	0.06	0.07	0.07	0.06	0.06	0.07	0.08	0.05
Stimulants ³	0.09	0.08	0.08	0.07	0.07	0.06	0.05	0.06	0.06	0.05	0.06	0.05
Methamphetamine ³	0.06	0.04	0.05	0.05	0.04	0.03	0.02	0.03	0.03	0.03	0.03	0.02
Sedatives	0.03	0.04	0.02	0.03	0.03	0.04	0.03	0.04	0.03	0.02	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.19	0.20	0.17	0.19	0.19	0.17	0.18	0.19	0.17	0.17	0.15

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.6P Types of Illicit Drug Use in the Past Month among Persons Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0026	0.0075	0.0434	0.2074	0.0004	0.0008	0.0006	0.0476	
Marijuana and Hashish	0.0008	0.0149	0.1241	0.4137	0.2037	0.2454	0.2472	0.3759	0.3568	0.0150	0.6640	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0001	0.0002	0.0008	0.0806	0.2124	0.1101	0.2372	
Crack	0.0073	0.0001	0.0131	0.0025	0.0260	0.0091	0.1320	0.1883	0.6935	0.8418	*	
Heroin	0.8527	0.5038	0.7294	0.7607	0.6465	0.0666	0.9107	0.9260	0.4739	0.8557	*	
Hallucinogens	0.0001	0.0001	0.0311	0.0586	0.3047	0.4761	0.0008	0.0114	0.0220	0.0305	0.8155	
LSD	0.5461	0.9566	0.2749	0.1188	0.0873	0.0787	0.9749	0.1928	0.7434	0.1944	0.0311	
PCP	0.0193	0.0536	0.5195	0.1436	0.4328	0.7357	0.1525	0.3612	0.8854	0.4340	0.5500	
Ecstasy	0.0000	0.0056	0.0707	0.0898	0.0210	0.2854	0.0010	0.0002	0.0000	0.0009	0.0911	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0048	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0000	0.0002	0.0038	0.0023	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0000	0.0000	0.0012	0.0017	
OxyContin [®]	--	--	0.0042	0.6647	0.8581	0.0994	0.0591	0.0014	0.1420	0.0708	0.1107	
Tranquilizers	0.0000	0.0000	0.0004	0.0009	0.0780	0.0001	0.0018	0.0041	0.0189	0.0006	0.0334	
Stimulants ³	0.0000	0.0000	0.0000	0.0001	0.0001	0.0246	0.1335	0.0168	0.1630	0.4234	0.0712	
Methamphetamine ³	0.0019	0.0002	0.0080	0.0009	0.0140	0.2704	0.4457	0.1640	0.7336	0.1793	0.3728	
Sedatives	0.0350	0.0581	0.8922	0.8784	0.0647	0.4138	0.3476	0.1697	0.2912	0.9332	0.8722	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0038	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.7C Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	156	155	165	161	166	162	155	163	167	174	175	168
Marijuana and Hashish	157	157	176	168	175	166	160	169	167	177	178	170
Cocaine	114	107	109	115	116	117	112	113	112	108	113	108
Crack	51	54	50	54	55	49	48	45	47	42	40	40
Heroin	35	37	36	36	38	34	32	37	41	43	43	44
Hallucinogens	140	134	130	132	140	130	118	135	134	121	131	133
LSD	115	108	98	96	89	78	74	80	79	74	87	81
PCP	45	49	42	41	38	35	36	37	34	32	30	30
Ecstasy	112	109	108	113	112	111	100	104	115	102	117	114
Inhalants	111	104	111	102	101	96	92	95	91	95	84	85
Nonmedical Use of Psychotherapeutics ^{2,3}	135	136	143	143	154	145	142	153	143	145	151	149
Pain Relievers	119	130	129	131	145	136	138	139	134	130	138	133
OxyContin [®]	40	56	54	64	65	62	68	71	75	74	77	74
Tranquilizers	94	98	98	107	112	104	103	104	106	104	109	108
Stimulants ³	93	101	104	97	104	97	91	97	97	93	100	98
Methamphetamine ³	71	76	72	77	79	71	63	62	62	56	62	57
Sedatives	39	37	40	40	38	40	37	40	34	36	36	37
ILLCIT DRUGS OTHER THAN MARIJUANA¹	157	151	157	154	166	158	156	163	158	157	160	161

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.7D Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLICIT DRUGS¹	0.50	0.49	0.51	0.49	0.51	0.49	0.47	0.49	0.49	0.51	0.51	0.48
Marijuana and Hashish	0.51	0.50	0.55	0.52	0.53	0.51	0.49	0.50	0.49	0.51	0.51	0.49
Cocaine	0.37	0.34	0.34	0.35	0.36	0.36	0.34	0.34	0.33	0.32	0.33	0.31
Crack	0.16	0.17	0.16	0.17	0.17	0.15	0.15	0.13	0.14	0.12	0.12	0.11
Heroin	0.11	0.12	0.11	0.11	0.12	0.11	0.10	0.11	0.12	0.13	0.12	0.13
Hallucinogens	0.45	0.42	0.40	0.41	0.43	0.40	0.36	0.40	0.39	0.35	0.38	0.38
LSD	0.37	0.34	0.31	0.30	0.27	0.24	0.22	0.24	0.23	0.22	0.25	0.23
PCP	0.15	0.16	0.13	0.13	0.12	0.11	0.11	0.11	0.10	0.09	0.09	0.09
Ecstasy	0.36	0.34	0.34	0.35	0.34	0.34	0.30	0.31	0.34	0.30	0.34	0.33
Inhalants	0.36	0.33	0.34	0.31	0.31	0.29	0.28	0.28	0.27	0.28	0.24	0.24
Nonmedical Use of Psychotherapeutics ^{2,3}	0.44	0.43	0.44	0.44	0.47	0.44	0.43	0.46	0.42	0.42	0.44	0.43
Pain Relievers	0.39	0.41	0.40	0.40	0.44	0.42	0.42	0.42	0.39	0.38	0.40	0.38
OxyContin [®]	0.13	0.18	0.17	0.20	0.20	0.19	0.21	0.21	0.22	0.22	0.22	0.21
Tranquilizers	0.30	0.31	0.31	0.33	0.34	0.32	0.31	0.31	0.31	0.30	0.32	0.31
Stimulants ³	0.30	0.32	0.32	0.30	0.32	0.30	0.28	0.29	0.28	0.27	0.29	0.28
Methamphetamine ³	0.23	0.24	0.23	0.24	0.24	0.22	0.19	0.18	0.18	0.16	0.18	0.17
Sedatives	0.13	0.12	0.12	0.12	0.12	0.12	0.11	0.12	0.10	0.11	0.10	0.11
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.51	0.47	0.49	0.48	0.51	0.48	0.47	0.49	0.47	0.46	0.46	0.46

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.7P Types of Illicit Drug Use in Lifetime among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0001	0.0000	0.0023	0.0019	0.0026	0.4486	0.9946	0.0261	0.6155	0.9446	0.2666	
Marijuana and Hashish	0.0079	0.0039	0.2406	0.4558	0.3964	0.1649	0.0986	0.2901	0.5244	0.9883	0.6579	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0777	0.0981	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0048	0.0977	
Heroin	0.2189	0.3732	0.4264	0.1254	0.2372	0.1248	0.0283	0.8538	0.8899	0.7796	0.4432	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0039	0.6541	0.0070	0.0953	0.9631	0.9354	
LSD	0.0000	0.0000	0.0000	0.0000	0.0000	0.0130	0.7074	0.1651	0.9584	0.1387	0.1296	
PCP	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0047	0.5054	0.6347	
Ecstasy	0.0000	0.0000	0.0274	0.0382	0.1657	0.9409	0.1956	0.5631	0.4559	0.3100	0.7920	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0046	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0047	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.2166	0.0122	
Pain Relievers	0.0215	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0148	0.0033	
OxyContin [®]	0.0000	0.0000	0.0000	0.1134	0.3192	0.5152	0.8069	0.0034	0.0036	0.0344	0.2325	
Tranquilizers	0.0557	0.5575	0.7432	0.0028	0.0233	0.1318	0.4602	0.0580	0.0052	0.4785	0.0841	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.0030	0.0017	0.0163	0.6513	0.4097	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.1240	0.5278	
Sedatives	0.0000	0.0011	0.0000	0.0000	0.0001	0.0014	0.0628	0.0558	0.4336	0.4470	0.7487	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0003	0.4445	0.0521	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.8C Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	143	153	154	152	157	156	154	160	167	172	174	166
Marijuana and Hashish	135	146	152	145	150	150	150	156	166	167	171	163
Cocaine	74	72	80	74	80	78	70	69	69	72	74	72
Crack	23	23	24	29	27	24	23	20	22	16	18	16
Heroin	17	14	15	21	18	20	19	20	25	26	29	27
Hallucinogens	81	77	72	74	79	77	75	82	90	81	89	89
LSD	44	30	27	30	32	30	36	40	45	43	49	50
PCP	14	19	17	11	14	11	8	8	10	16	11	7
Ecstasy	67	50	48	52	61	57	60	65	70	65	69	66
Inhalants	41	39	41	42	40	38	36	45	45	47	38	41
Nonmedical Use of Psychotherapeutics ^{2,3}	97	104	110	109	118	110	112	119	114	110	111	110
Pain Relievers	86	97	94	98	103	97	101	103	100	94	97	97
OxyContin [®]	--	--	35	37	39	36	37	43	44	43	47	42
Tranquilizers	57	66	66	68	75	69	70	70	72	63	71	70
Stimulants ³	57	56	66	58	61	61	54	61	59	55	72	62
Methamphetamine ³	41	39	41	41	38	35	26	29	28	25	43	31
Sedatives	18	18	18	22	22	21	23	22	21	18	18	21
ILLCIT DRUGS OTHER THAN MARIJUANA¹	116	127	126	121	130	126	123	131	132	129	127	128

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.8D Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.46	0.48	0.48	0.47	0.48	0.48	0.47	0.48	0.49	0.50	0.50	0.48
Marijuana and Hashish	0.43	0.46	0.47	0.45	0.46	0.46	0.46	0.46	0.49	0.49	0.49	0.47
Cocaine	0.24	0.23	0.25	0.23	0.24	0.24	0.21	0.20	0.20	0.21	0.21	0.21
Crack	0.08	0.07	0.07	0.09	0.08	0.07	0.07	0.06	0.06	0.05	0.05	0.05
Heroin	0.05	0.04	0.05	0.06	0.06	0.06	0.06	0.06	0.07	0.07	0.08	0.08
Hallucinogens	0.26	0.24	0.22	0.23	0.24	0.24	0.23	0.24	0.27	0.23	0.26	0.25
LSD	0.14	0.09	0.08	0.09	0.10	0.09	0.11	0.12	0.13	0.13	0.14	0.14
PCP	0.04	0.06	0.05	0.03	0.04	0.03	0.02	0.02	0.03	0.05	0.03	0.02
Ecstasy	0.22	0.16	0.15	0.16	0.19	0.18	0.18	0.19	0.20	0.19	0.20	0.19
Inhalants	0.13	0.12	0.13	0.13	0.12	0.12	0.11	0.14	0.13	0.14	0.11	0.12
Nonmedical Use of Psychotherapeutics ^{2,3}	0.31	0.33	0.34	0.33	0.36	0.34	0.34	0.35	0.33	0.32	0.32	0.32
Pain Relievers	0.28	0.30	0.29	0.30	0.31	0.30	0.31	0.31	0.29	0.27	0.28	0.28
OxyContin [®]	--	--	0.11	0.11	0.12	0.11	0.11	0.13	0.13	0.13	0.14	0.12
Tranquilizers	0.18	0.21	0.20	0.21	0.23	0.21	0.21	0.21	0.21	0.18	0.21	0.20
Stimulants ³	0.18	0.18	0.20	0.18	0.19	0.18	0.16	0.18	0.17	0.16	0.21	0.18
Methamphetamine ³	0.13	0.12	0.13	0.13	0.12	0.11	0.08	0.09	0.08	0.07	0.12	0.09
Sedatives	0.06	0.06	0.06	0.07	0.07	0.06	0.07	0.06	0.06	0.05	0.05	0.06
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.37	0.40	0.39	0.37	0.40	0.38	0.37	0.39	0.39	0.38	0.37	0.37

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.8P Types of Illicit Drug Use in the Past Year among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.6183	0.0788	0.0053	0.0214	0.0363	0.0002	0.0015	0.4463	0.3926	0.3888	0.4531	
Marijuana and Hashish	0.0040	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2058	0.0162	0.2125	0.8187	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0032	0.3913	0.6756	0.4989	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0012	0.0012	0.5490	0.0527	
Heroin	0.0010	0.0000	0.0002	0.0287	0.0081	0.0065	0.0092	0.1075	0.4134	0.7842	0.4404	
Hallucinogens	0.0000	0.8517	0.0444	0.2384	0.6661	0.1673	0.3294	0.1556	0.2384	0.8818	0.4596	
LSD	0.2091	0.0000	0.0000	0.0000	0.0000	0.0000	0.0072	0.0124	0.0325	0.0844	0.2426	
PCP	0.0000	0.0000	0.0000	0.0086	0.0006	0.0178	0.5866	0.3314	0.3323	0.0321	0.0178	
Ecstasy	0.0000	0.2353	0.0004	0.0002	0.4695	0.0708	0.6929	0.1786	0.1029	0.5604	0.6528	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0221	0.1471	0.1015	0.0052	0.0339	0.6431	0.9609	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2438	0.0011	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0113	0.0006	
OxyContin [®]	--	--	0.0185	0.0277	0.0191	0.0228	0.0055	0.0000	0.0000	0.0065	0.1295	
Tranquilizers	0.1894	0.0061	0.0249	0.0007	0.0018	0.0177	0.0048	0.0037	0.0066	0.9271	0.1099	
Stimulants ³	0.3635	0.9021	0.3909	0.7534	0.0709	0.2582	0.1674	0.8307	0.6988	0.0079	0.4742	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0182	0.4276	0.9241	0.2950	0.0292	0.6366	
Sedatives	0.1284	0.2483	0.1867	0.0350	0.0588	0.1377	0.1229	0.3376	0.2979	0.7421	0.5032	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0003	0.2707	0.0240	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.9C Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	116	128	130	130	122	127	129	135	136	142	138	143
Marijuana and Hashish	110	116	119	121	115	120	123	126	130	135	133	135
Cocaine	37	42	43	47	41	38	39	36	39	41	33	34
Crack	9	13	13	16	13	11	11	11	16	6	9	12
Heroin	10	7	9	10	12	11	14	12	17	20	22	16
Hallucinogens	38	37	33	36	43	35	39	46	48	40	46	48
LSD	8	13	14	12	12	12	15	16	17	14	18	18
PCP	6	10	5	5	7	6	3	3	3	6	4	2
Ecstasy	31	23	23	26	34	24	31	33	37	30	38	31
Inhalants	18	19	18	21	17	19	18	21	21	36	22	18
Nonmedical Use of Psychotherapeutics ^{2,3}	60	71	69	72	77	69	71	74	72	69	74	69
Pain Relievers	51	61	60	61	66	60	61	62	64	58	65	59
OxyContin [®]	--	--	19	19	17	18	16	19	24	21	24	19
Tranquilizers	35	36	38	40	43	39	40	40	39	40	42	34
Stimulants ³	31	30	34	37	34	31	29	34	35	33	31	37
Methamphetamine ³	21	21	24	27	21	18	14	15	17	16	16	18
Sedatives	9	11	10	15	13	13	15	17	12	10	13	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	75	82	82	87	89	81	82	88	84	87	85	82

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.9D Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.37	0.40	0.40	0.40	0.37	0.39	0.39	0.40	0.40	0.42	0.40	0.41
Marijuana and Hashish	0.36	0.37	0.37	0.37	0.35	0.37	0.37	0.38	0.38	0.39	0.39	0.39
Cocaine	0.12	0.13	0.13	0.15	0.13	0.12	0.12	0.11	0.11	0.12	0.09	0.10
Crack	0.03	0.04	0.04	0.05	0.04	0.03	0.03	0.03	0.05	0.02	0.03	0.03
Heroin	0.03	0.02	0.03	0.03	0.04	0.03	0.04	0.04	0.05	0.06	0.06	0.05
Hallucinogens	0.12	0.12	0.10	0.11	0.13	0.11	0.12	0.14	0.14	0.12	0.13	0.14
LSD	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.04	0.05	0.05
PCP	0.02	0.03	0.02	0.02	0.02	0.02	0.01	0.01	0.01	0.02	0.01	0.01
Ecstasy	0.10	0.07	0.07	0.08	0.10	0.07	0.09	0.10	0.11	0.09	0.11	0.09
Inhalants	0.06	0.06	0.06	0.06	0.05	0.06	0.05	0.06	0.06	0.10	0.06	0.05
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.22	0.21	0.22	0.23	0.21	0.22	0.22	0.21	0.20	0.21	0.20
Pain Relievers	0.16	0.19	0.19	0.19	0.20	0.18	0.19	0.19	0.19	0.17	0.19	0.17
OxyContin [®]	--	--	0.06	0.06	0.05	0.06	0.05	0.06	0.07	0.06	0.07	0.05
Tranquilizers	0.11	0.11	0.12	0.12	0.13	0.12	0.12	0.12	0.11	0.12	0.12	0.10
Stimulants ³	0.10	0.10	0.11	0.11	0.10	0.09	0.09	0.10	0.10	0.10	0.09	0.11
Methamphetamine ³	0.07	0.07	0.07	0.08	0.06	0.06	0.04	0.05	0.05	0.05	0.05	0.05
Sedatives	0.03	0.04	0.03	0.05	0.04	0.04	0.05	0.05	0.04	0.03	0.04	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.24	0.26	0.26	0.27	0.27	0.25	0.25	0.26	0.25	0.25	0.25	0.24

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.9P Types of Illicit Drug Use in the Past Month among Persons Aged 18 to 25: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0161	0.0298	0.0002	0.0153	0.0023	0.0021	0.0011	0.7784	0.9665	0.8625	0.7348	
Marijuana and Hashish	0.0009	0.0001	0.0000	0.0000	0.0000	0.0000	0.0000	0.1279	0.2941	0.9226	0.5373	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0059	0.1054	0.0232	0.1715	0.9607	
Crack	0.1637	0.2144	0.0073	0.0004	0.0265	0.1602	0.2365	0.7564	0.0690	0.2477	0.9229	
Heroin	0.0134	0.0003	0.0145	0.1263	0.1020	0.0413	0.5910	0.2656	0.9928	0.5202	0.0784	
Hallucinogens	0.5029	0.7487	0.0872	0.1988	0.7878	0.0687	0.5113	0.7097	0.3070	0.3804	0.8244	
LSD	0.0014	0.1761	0.5052	0.0670	0.0488	0.1568	0.9551	0.8488	0.9263	0.5881	0.5806	
PCP	0.0753	0.0133	0.0299	0.2015	0.1235	0.0807	0.9274	0.7434	0.6663	0.2116	0.1264	
Ecstasy	0.0895	0.0903	0.0838	0.4295	0.5625	0.0632	0.8666	0.1137	0.0592	0.9951	0.3748	
Inhalants	0.0227	0.1442	0.0660	0.0794	0.2162	0.2156	0.8889	0.0927	0.2602	0.3211	0.5438	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0116	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.0003	0.4550	0.0771	
Pain Relievers	0.0006	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2091	0.0342	
OxyContin [®]	--	--	0.1031	0.0731	0.1143	0.0274	0.2172	0.0041	0.0000	0.0550	0.2024	
Tranquilizers	0.0326	0.0070	0.0009	0.0001	0.0000	0.0014	0.0021	0.0001	0.0053	0.0269	0.0553	
Stimulants ³	0.9550	0.8284	0.2848	0.4697	0.6442	0.0620	0.0668	0.6636	0.4530	0.0238	0.2251	
Methamphetamine ³	0.0049	0.0014	0.0002	0.0006	0.0069	0.8984	0.0755	0.1676	0.1599	0.1049	0.3595	
Sedatives	0.1436	0.0552	0.1944	0.0170	0.1475	0.0150	0.0494	0.0074	0.0902	0.5285	0.2639	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0004	0.0000	0.0001	0.0000	0.0000	0.0001	0.0013	0.0000	0.0003	0.5024	0.3497	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.10C Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	935	874	928	903	854	935	898	932	988	1,011	925	978
Marijuana and Hashish	888	831	875	887	863	921	887	907	986	993	967	986
Cocaine	574	552	621	580	635	655	660	646	663	704	683	674
Crack	303	257	274	283	322	337	317	314	371	324	344	359
Heroin	220	201	188	223	235	236	221	214	243	223	241	278
Hallucinogens	572	549	583	573	613	615	631	646	651	618	641	678
LSD	496	469	494	499	508	540	542	557	549	526	538	567
PCP	282	262	292	284	290	294	337	292	317	303	309	342
Ecstasy	247	255	286	294	322	317	319	352	396	344	374	442
Inhalants	457	407	448	436	445	488	468	463	458	479	471	505
Nonmedical Use of Psychotherapeutics ^{2,3}	715	629	706	693	663	662	730	705	752	740	740	751
Pain Relievers	539	477	529	527	497	526	567	544	579	589	589	616
OxyContin [®]	103	125	120	120	152	165	171	203	224	196	228	268
Tranquilizers	481	414	471	460	451	453	484	472	479	483	540	558
Stimulants ³	495	456	480	474	482	459	536	496	538	486	539	486
Methamphetamine ³	402	392	394	361	398	359	397	395	439	404	418	386
Sedatives	366	316	396	344	347	357	395	351	353	349	374	376
ILLCIT DRUGS OTHER THAN MARIJUANA¹	789	728	788	797	772	830	828	845	863	879	842	874

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.10D Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLICIT DRUGS¹	0.52	0.48	0.51	0.49	0.45	0.49	0.47	0.48	0.51	0.51	0.46	0.48
Marijuana and Hashish	0.50	0.46	0.48	0.48	0.46	0.48	0.46	0.47	0.50	0.50	0.48	0.49
Cocaine	0.32	0.30	0.34	0.31	0.34	0.35	0.34	0.33	0.34	0.35	0.34	0.33
Crack	0.17	0.14	0.15	0.15	0.17	0.18	0.17	0.16	0.19	0.16	0.17	0.18
Heroin	0.12	0.11	0.10	0.12	0.12	0.12	0.12	0.11	0.12	0.11	0.12	0.14
Hallucinogens	0.32	0.30	0.32	0.31	0.33	0.32	0.33	0.33	0.33	0.31	0.32	0.33
LSD	0.28	0.26	0.27	0.27	0.27	0.28	0.28	0.29	0.28	0.27	0.27	0.28
PCP	0.16	0.14	0.16	0.15	0.15	0.15	0.18	0.15	0.16	0.15	0.15	0.17
Ecstasy	0.14	0.14	0.16	0.16	0.17	0.17	0.17	0.18	0.20	0.17	0.19	0.22
Inhalants	0.25	0.22	0.24	0.24	0.24	0.26	0.24	0.24	0.23	0.24	0.23	0.25
Nonmedical Use of Psychotherapeutics ^{2,3}	0.40	0.35	0.39	0.37	0.35	0.35	0.38	0.36	0.39	0.37	0.37	0.37
Pain Relievers	0.30	0.26	0.29	0.28	0.26	0.28	0.30	0.28	0.30	0.30	0.29	0.30
OxyContin [®]	0.06	0.07	0.07	0.06	0.08	0.09	0.09	0.11	0.11	0.10	0.11	0.13
Tranquilizers	0.27	0.23	0.26	0.25	0.24	0.24	0.25	0.24	0.25	0.24	0.27	0.28
Stimulants ³	0.28	0.25	0.26	0.26	0.26	0.24	0.28	0.26	0.28	0.24	0.27	0.24
Methamphetamine ³	0.22	0.22	0.22	0.19	0.21	0.19	0.21	0.20	0.22	0.20	0.21	0.19
Sedatives	0.20	0.17	0.22	0.19	0.18	0.19	0.21	0.18	0.18	0.18	0.19	0.19
ILLICIT DRUGS OTHER THAN MARIJUANA¹	0.44	0.40	0.43	0.43	0.41	0.44	0.43	0.44	0.44	0.44	0.42	0.43

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.10P Types of Illicit Drug Use in Lifetime among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0026	0.0013	0.0040	0.0015	0.1398	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0020	0.0005	0.0508	
Cocaine	0.1922	0.7061	0.0849	0.0062	0.1285	0.3830	0.9484	0.5529	0.7577	0.7379	0.8868	
Crack	0.5341	0.0529	0.0337	0.0391	0.3496	0.6214	0.4068	0.2512	0.5748	0.1609	0.7858	
Heroin	0.0743	0.0795	0.0001	0.0179	0.0643	0.0542	0.0494	0.0063	0.1536	0.0923	0.4421	
Hallucinogens	0.0000	0.0000	0.0001	0.0000	0.0011	0.0000	0.0313	0.1128	0.1190	0.0024	0.1001	
LSD	0.2470	0.6298	0.1773	0.0221	0.5279	0.3123	0.9549	0.8290	0.4942	0.1535	0.4213	
PCP	0.0201	0.1979	0.4112	0.7575	0.5982	0.6896	0.5589	0.7769	0.7680	0.5361	0.8517	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0117	0.0000	0.0052	
Inhalants	0.7052	0.6145	0.9394	0.8879	0.6072	0.5753	0.4981	0.6709	0.8519	0.0896	0.5668	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.2358	0.2790	0.1218	0.0975	0.3168	0.1702	0.8902	0.5679	0.4612	0.1480	0.3796	
Pain Relievers	0.0000	0.0002	0.0003	0.0032	0.0049	0.0044	0.5608	0.4227	0.2681	0.1015	0.1951	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0045	0.0001	0.1421	
Tranquilizers	0.0190	0.0487	0.0090	0.0745	0.1258	0.0016	0.1836	0.1348	0.1405	0.0286	0.9793	
Stimulants ³	0.0000	0.0011	0.0471	0.6375	0.1241	0.3929	0.8471	0.2751	0.5892	0.2117	0.8652	
Methamphetamine ³	0.0000	0.0000	0.0003	0.9895	0.0048	0.2344	0.4758	0.2633	0.1552	0.6355	0.9306	
Sedatives	0.0000	0.0000	0.0000	0.0003	0.0014	0.0248	0.0019	0.0141	0.5058	0.7891	0.3413	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0049	0.0033	0.0002	0.0023	0.0033	0.0289	0.7578	0.3441	0.5635	0.1006	0.9078	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.11C Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	514	489	473	493	494	529	497	526	572	550	583	622
Marijuana and Hashish	407	387	395	418	410	418	422	470	488	462	488	519
Cocaine	200	207	180	180	210	223	192	189	183	154	200	172
Crack	121	120	112	109	132	120	90	103	89	67	110	75
Heroin	52	45	52	36	83	50	53	76	70	66	72	62
Hallucinogens	109	109	132	112	113	105	95	122	129	106	138	177
LSD	35	28	29	31	43	42	28	32	47	35	65	65
PCP	16	6	18	10	34	12	*	18	20	9	30	19
Ecstasy	93	86	97	98	81	85	69	103	90	78	108	135
Inhalants	66	54	69	65	86	88	102	89	100	87	107	90
Nonmedical Use of Psychotherapeutics ^{2,3}	345	335	313	315	323	346	310	329	363	338	380	386
Pain Relievers	275	275	265	274	272	290	259	290	305	280	332	315
OxyContin [®]	--	--	61	69	82	85	79	90	103	91	90	107
Tranquilizers	210	175	189	189	180	208	184	203	194	197	234	215
Stimulants ³	129	115	136	114	163	129	103	132	132	135	141	165
Methamphetamine ³	99	91	116	89	131	102	69	96	93	115	101	106
Sedatives	113	81	69	69	94	88	54	73	101	59	63	81
ILLCIT DRUGS OTHER THAN MARIJUANA¹	384	375	364	354	367	407	364	375	397	370	423	431

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.11D Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.29	0.27	0.26	0.27	0.26	0.28	0.26	0.27	0.29	0.28	0.29	0.31
Marijuana and Hashish	0.23	0.21	0.22	0.23	0.22	0.22	0.22	0.24	0.25	0.23	0.24	0.26
Cocaine	0.11	0.11	0.10	0.10	0.11	0.12	0.10	0.10	0.09	0.08	0.10	0.08
Crack	0.07	0.07	0.06	0.06	0.07	0.06	0.05	0.05	0.05	0.03	0.05	0.04
Heroin	0.03	0.02	0.03	0.02	0.04	0.03	0.03	0.04	0.04	0.03	0.04	0.03
Hallucinogens	0.06	0.06	0.07	0.06	0.06	0.06	0.05	0.06	0.07	0.05	0.07	0.09
LSD	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.02	0.02	0.02	0.03	0.03
PCP	0.01	0.00	0.01	0.01	0.02	0.01	*	0.01	0.01	0.00	0.01	0.01
Ecstasy	0.05	0.05	0.05	0.05	0.04	0.04	0.04	0.05	0.05	0.04	0.05	0.07
Inhalants	0.04	0.03	0.04	0.03	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.19	0.18	0.17	0.17	0.17	0.18	0.16	0.17	0.19	0.17	0.19	0.19
Pain Relievers	0.15	0.15	0.14	0.15	0.14	0.15	0.13	0.15	0.16	0.14	0.17	0.16
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.05
Tranquilizers	0.12	0.10	0.10	0.10	0.10	0.11	0.10	0.11	0.10	0.10	0.12	0.11
Stimulants ³	0.07	0.06	0.07	0.06	0.09	0.07	0.05	0.07	0.07	0.07	0.07	0.08
Methamphetamine ³	0.06	0.05	0.06	0.05	0.07	0.05	0.04	0.05	0.05	0.06	0.05	0.05
Sedatives	0.06	0.04	0.04	0.04	0.05	0.05	0.03	0.04	0.05	0.03	0.03	0.04
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.21	0.21	0.20	0.19	0.20	0.21	0.19	0.19	0.20	0.19	0.21	0.21

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.11P Types of Illicit Drug Use in the Past Year among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0000	0.0011	0.0340	0.0008	0.8816	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0014	0.0003	0.1126	
Cocaine	0.0000	0.0000	0.0004	0.0201	0.0001	0.0008	0.0023	0.1330	0.2541	0.0913	0.1252	
Crack	0.0000	0.0000	0.0001	0.0001	0.0000	0.0000	0.0014	0.0115	0.1281	0.8027	0.0633	
Heroin	0.0909	0.0120	0.0804	0.0050	1.0000	0.0260	0.1407	0.7999	0.9238	0.4852	0.7094	
Hallucinogens	0.2261	0.0419	0.1877	0.0549	0.1037	0.0364	0.0008	0.4198	0.3569	0.0210	0.7381	
LSD	0.1705	0.0181	0.0906	0.0363	0.4745	0.1186	0.0673	0.0876	0.5535	0.1240	0.7243	
PCP	0.9845	0.3028	0.7820	0.6047	0.6545	0.7616	*	0.7341	0.7273	0.4013	0.3542	
Ecstasy	0.8491	0.0967	0.0765	0.2346	0.0414	0.0805	0.0027	0.9921	0.1029	0.0167	0.7441	
Inhalants	0.0703	0.0248	0.3217	0.1134	0.9934	0.8471	0.9767	0.7832	0.9217	0.8613	0.9745	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.3111	0.4118	0.0515	0.2729	0.6546	0.5179	0.0953	0.8108	0.9100	0.0596	0.1677	
Pain Relievers	0.2092	0.6517	0.0976	0.5553	0.3273	0.3077	0.6944	0.5705	0.4456	0.2962	0.0556	
OxyContin [®]	--	--	0.0134	0.0251	0.1067	0.2838	0.2704	0.4816	0.4766	0.8518	0.5220	
Tranquilizers	0.4900	0.4176	0.5752	0.6925	0.2299	0.8529	0.2283	0.9316	0.7639	0.4754	0.0628	
Stimulants ³	0.2720	0.0150	0.1897	0.0253	0.6936	0.0815	0.0004	0.1343	0.0137	0.0085	0.2232	
Methamphetamine ³	0.1687	0.3864	0.0505	0.3321	0.0101	0.5806	0.0270	0.8956	0.2073	0.6267	0.7112	
Sedatives	0.0286	0.1573	0.6410	0.6862	0.0589	0.1675	0.4013	0.2840	0.1000	0.2528	0.6769	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.7683	0.9190	0.2006	0.3408	0.5531	0.2774	0.3701	0.9569	0.8352	0.0135	0.1636	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.12C Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	353	363	366	395	376	395	393	401	441	420	452	472
Marijuana and Hashish	279	284	312	323	311	309	342	340	362	374	392	407
Cocaine	119	137	110	129	147	143	122	127	99	96	138	129
Crack	66	90	64	85	101	78	55	76	58	41	94	63
Heroin	40	26	35	15	76	37	36	35	40	43	46	39
Hallucinogens	67	54	44	73	51	63	53	77	61	38	77	123
LSD	11	8	13	7	20	30	*	13	*	16	26	31
PCP	13	*	15	10	*	11	*	17	20	*	12	15
Ecstasy	53	46	37	34	36	49	38	61	44	30	61	85
Inhalants	56	32	55	48	64	59	65	48	77	54	56	59
Nonmedical Use of Psychotherapeutics ^{2,3}	216	243	190	218	222	237	204	228	252	215	247	244
Pain Relievers	172	193	152	179	199	200	177	198	196	178	199	196
OxyContin [®]	--	--	28	31	29	50	56	54	62	49	37	77
Tranquilizers	127	112	91	109	105	124	108	128	130	123	155	114
Stimulants ³	85	93	87	69	97	86	66	92	76	81	96	106
Methamphetamine ³	71	77	67	56	77	76	49	65	49	69	72	81
Sedatives	63	53	47	44	67	67	33	51	71	47	47	67
ILLCIT DRUGS OTHER THAN MARIJUANA¹	259	274	226	257	257	288	242	264	278	232	284	293

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.12D Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.20	0.20	0.20	0.21	0.20	0.21	0.20	0.21	0.23	0.21	0.23	0.23
Marijuana and Hashish	0.16	0.16	0.17	0.17	0.17	0.16	0.18	0.18	0.19	0.19	0.20	0.20
Cocaine	0.07	0.08	0.06	0.07	0.08	0.08	0.06	0.07	0.05	0.05	0.07	0.06
Crack	0.04	0.05	0.03	0.05	0.05	0.04	0.03	0.04	0.03	0.02	0.05	0.03
Heroin	0.02	0.01	0.02	0.01	0.04	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.02	0.04	0.03	0.03	0.03	0.04	0.03	0.02	0.04	0.06
LSD	0.01	0.00	0.01	0.00	0.01	0.02	*	0.01	*	0.01	0.01	0.02
PCP	0.01	*	0.01	0.01	*	0.01	*	0.01	0.01	*	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.03	0.02	0.03	0.02	0.01	0.03	0.04
Inhalants	0.03	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.04	0.03	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.12	0.13	0.10	0.12	0.12	0.12	0.11	0.12	0.13	0.11	0.12	0.12
Pain Relievers	0.10	0.11	0.08	0.10	0.11	0.11	0.09	0.10	0.10	0.09	0.10	0.10
OxyContin [®]	--	--	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.02	0.02	0.04
Tranquilizers	0.07	0.06	0.05	0.06	0.06	0.07	0.06	0.07	0.07	0.06	0.08	0.06
Stimulants ³	0.05	0.05	0.05	0.04	0.05	0.05	0.03	0.05	0.04	0.04	0.05	0.05
Methamphetamine ³	0.04	0.04	0.04	0.03	0.04	0.04	0.03	0.03	0.03	0.04	0.04	0.04
Sedatives	0.04	0.03	0.03	0.02	0.04	0.04	0.02	0.03	0.04	0.02	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.14	0.15	0.12	0.14	0.14	0.15	0.13	0.14	0.14	0.12	0.14	0.14

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.12P Types of Illicit Drug Use in the Past Month among Persons Aged 26 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0013	0.0174	0.0020	0.3451	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0013	0.0048	0.2034	
Cocaine	0.1111	0.0136	0.2049	0.0175	0.0057	0.0546	0.2147	0.7869	0.3313	0.1162	0.5019	
Crack	0.0280	0.0427	0.4475	0.0182	0.0101	0.0243	0.8166	0.1908	0.7873	0.0828	0.5303	
Heroin	0.3697	0.0426	0.2404	0.0063	0.2490	0.2175	0.3277	0.2078	0.4986	0.7132	0.8165	
Hallucinogens	0.2565	0.0314	0.0262	0.3160	0.0393	0.1775	0.0400	0.4319	0.0961	0.0041	0.2079	
LSD	0.0961	0.0852	0.1421	0.0640	0.4479	0.5793	*	0.1932	*	0.1908	0.4205	
PCP	0.9680	*	0.9470	0.9948	*	0.9489	*	0.4759	0.9029	*	0.7641	
Ecstasy	0.5109	0.2118	0.1549	0.2160	0.0871	0.4937	0.1467	0.9278	0.2108	0.0474	0.3650	
Inhalants	0.4719	0.0442	0.4197	0.1901	0.6162	0.4535	0.8600	0.2363	0.7177	0.9373	0.2982	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5567	0.3857	0.0274	0.3273	0.6040	0.7006	0.1134	0.9750	0.7334	0.1422	0.8243	
Pain Relievers	0.2173	0.3573	0.0238	0.2701	0.5654	0.4082	0.6167	0.4975	0.6782	0.4102	0.8288	
OxyContin [®]	--	--	0.0071	0.0267	0.0041	0.0612	0.3849	0.4074	0.5207	0.1726	0.0312	
Tranquilizers	0.6011	0.8706	0.1998	0.8514	0.4612	0.8990	0.7778	0.4109	0.0588	0.8903	0.1277	
Stimulants ³	0.7548	0.6781	0.5030	0.0881	0.9886	0.1465	0.0055	0.8033	0.0811	0.0340	0.2784	
Methamphetamine ³	0.7821	0.6019	0.8478	0.3588	0.4856	0.6888	0.0132	0.6229	0.0375	0.2317	0.2089	
Sedatives	0.0494	0.8210	0.8244	0.9525	0.2396	0.5107	0.5226	0.4629	0.3203	0.7725	0.9777	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.9311	0.5876	0.0362	0.5249	0.4459	0.5282	0.2841	0.8801	0.7116	0.0231	0.9606	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.13C Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLICIT DRUGS¹	963	902	965	937	896	966	924	961	1,018	1,035	953	999
Marijuana and Hashish	915	865	918	924	903	952	915	940	1,016	1,019	1,002	1,008
Cocaine	584	564	635	597	657	660	674	654	680	704	699	692
Crack	307	263	280	293	329	339	323	316	378	328	346	364
Heroin	222	204	193	227	238	240	223	217	248	226	244	280
Hallucinogens	599	584	613	608	642	638	644	665	681	628	670	706
LSD	513	494	504	521	520	549	548	565	558	532	557	578
PCP	281	270	297	288	295	298	339	297	320	306	311	346
Ecstasy	296	281	326	334	355	344	342	371	427	363	405	463
Inhalants	472	435	471	456	466	496	483	470	468	487	486	515
Nonmedical Use of Psychotherapeutics ^{2,3}	737	648	731	721	696	692	753	733	777	752	759	778
Pain Relievers	565	510	559	560	533	558	593	577	606	597	614	636
OxyContin [®]	114	140	133	139	165	178	186	219	242	209	243	278
Tranquilizers	493	433	484	478	476	467	503	490	491	493	557	572
Stimulants ³	508	472	497	492	504	471	545	508	554	500	554	495
Methamphetamine ³	414	403	400	375	413	366	401	405	449	412	426	393
Sedatives	370	322	399	346	352	360	400	354	355	353	377	378
ILLICIT DRUGS OTHER THAN MARIJUANA¹	813	748	820	831	805	857	853	869	890	887	866	913

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.13D Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.46	0.42	0.45	0.43	0.41	0.43	0.41	0.42	0.44	0.44	0.41	0.42
Marijuana and Hashish	0.44	0.41	0.43	0.42	0.41	0.43	0.41	0.41	0.44	0.44	0.43	0.42
Cocaine	0.28	0.27	0.30	0.27	0.30	0.30	0.30	0.29	0.30	0.30	0.30	0.29
Crack	0.15	0.12	0.13	0.13	0.15	0.15	0.14	0.14	0.16	0.14	0.15	0.15
Heroin	0.11	0.10	0.09	0.10	0.11	0.11	0.10	0.10	0.11	0.10	0.10	0.12
Hallucinogens	0.28	0.27	0.28	0.28	0.29	0.29	0.29	0.29	0.30	0.27	0.28	0.30
LSD	0.24	0.23	0.23	0.24	0.24	0.25	0.24	0.25	0.24	0.23	0.24	0.24
PCP	0.13	0.13	0.14	0.13	0.13	0.13	0.15	0.13	0.14	0.13	0.13	0.15
Ecstasy	0.14	0.13	0.15	0.15	0.16	0.15	0.15	0.16	0.19	0.16	0.17	0.20
Inhalants	0.22	0.20	0.22	0.21	0.21	0.22	0.21	0.21	0.20	0.21	0.21	0.22
Nonmedical Use of Psychotherapeutics ^{2,3}	0.35	0.30	0.34	0.33	0.32	0.31	0.33	0.32	0.34	0.32	0.32	0.33
Pain Relievers	0.27	0.24	0.26	0.26	0.24	0.25	0.26	0.25	0.26	0.26	0.26	0.27
OxyContin [®]	0.05	0.07	0.06	0.06	0.07	0.08	0.08	0.10	0.11	0.09	0.10	0.12
Tranquilizers	0.23	0.20	0.22	0.22	0.22	0.21	0.22	0.22	0.21	0.21	0.24	0.24
Stimulants ³	0.24	0.22	0.23	0.23	0.23	0.21	0.24	0.22	0.24	0.22	0.24	0.21
Methamphetamine ³	0.20	0.19	0.19	0.17	0.19	0.16	0.18	0.18	0.20	0.18	0.18	0.17
Sedatives	0.18	0.15	0.19	0.16	0.16	0.16	0.18	0.16	0.15	0.15	0.16	0.16
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.39	0.35	0.38	0.38	0.37	0.38	0.38	0.38	0.39	0.38	0.37	0.38

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.13P Types of Illicit Drug Use in Lifetime among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0032	0.0065	0.0071	0.0018	0.2109	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0021	0.0007	0.0663	
Cocaine	0.9137	0.3816	0.6708	0.1607	0.9744	0.7204	0.2910	0.5621	0.3632	0.9458	0.6972	
Crack	0.3672	0.7548	0.4801	0.5080	0.6467	0.6528	0.9921	0.7836	0.2428	0.2853	0.6502	
Heroin	0.0497	0.0593	0.0001	0.0098	0.0431	0.0319	0.0219	0.0063	0.1642	0.0847	0.5290	
Hallucinogens	0.0521	0.0324	0.0127	0.0006	0.0302	0.0005	0.0465	0.3155	0.2377	0.0030	0.1122	
LSD	0.0039	0.0044	0.2538	0.6167	0.6478	0.5195	0.9134	0.9784	0.4803	0.1041	0.3122	
PCP	0.0003	0.0050	0.0746	0.2259	0.1997	0.8913	0.2913	0.9389	0.9734	0.5755	0.8245	
Ecstasy	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0119	0.0000	0.0090	
Inhalants	0.0000	0.0000	0.0013	0.0029	0.0028	0.0205	0.0343	0.0447	0.3102	0.3454	0.9273	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.5471	0.9763	0.6475	0.8289	0.6520	0.8426	0.3046	0.7057	0.9833	0.2490	0.1738	
Pain Relievers	0.0002	0.0229	0.0423	0.3742	0.5504	0.2781	0.3759	0.4872	0.8511	0.2977	0.0552	
OxyContin [®]	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0074	0.0633	0.0026	0.3069	
Tranquilizers	0.0082	0.0787	0.0142	0.2866	0.3198	0.0052	0.2533	0.2927	0.3761	0.0456	0.7550	
Stimulants ³	0.0000	0.0000	0.0013	0.3249	0.0066	0.1239	0.4689	0.0922	0.3395	0.1899	0.9954	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0213	0.0000	0.0052	0.0801	0.0455	0.0547	0.7971	0.8618	
Sedatives	0.0000	0.0000	0.0000	0.0001	0.0004	0.0101	0.0011	0.0086	0.4748	0.7382	0.3639	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.2779	0.2901	0.0319	0.1437	0.2027	0.3596	0.6507	0.9852	0.9386	0.1452	0.8144	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.14C Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	565	540	519	541	548	592	545	583	631	589	639	666
Marijuana and Hashish	459	437	437	463	466	484	466	527	548	503	549	565
Cocaine	217	225	202	202	227	239	207	208	202	167	217	189
Crack	124	122	115	114	133	123	94	105	92	68	111	77
Heroin	54	47	55	42	85	54	58	78	75	71	78	70
Hallucinogens	144	140	147	140	143	134	124	151	170	138	172	200
LSD	58	41	41	45	55	53	47	53	69	57	83	79
PCP	21	20	25	15	37	17	10	19	23	19	32	20
Ecstasy	122	101	108	111	102	104	92	123	121	103	132	152
Inhalants	80	66	78	79	94	96	108	101	109	99	115	101
Nonmedical Use of Psychotherapeutics ^{2,3}	368	356	341	345	354	377	345	360	389	357	398	415
Pain Relievers	293	298	289	300	298	312	288	318	329	297	349	339
OxyContin [®]	--	--	72	80	90	94	87	102	114	102	103	116
Tranquilizers	219	192	203	206	193	219	199	220	205	207	249	229
Stimulants ³	147	133	153	130	177	150	120	146	155	149	160	176
Methamphetamine ³	110	99	125	97	136	113	75	100	103	118	113	113
Sedatives	115	83	70	73	98	92	59	78	103	63	65	83
ILLCIT DRUGS OTHER THAN MARIJUANA¹	415	408	399	393	405	444	400	410	433	397	450	463

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.14D Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.27	0.25	0.24	0.25	0.25	0.27	0.24	0.26	0.28	0.25	0.27	0.28
Marijuana and Hashish	0.22	0.21	0.20	0.21	0.21	0.22	0.21	0.23	0.24	0.22	0.23	0.24
Cocaine	0.10	0.11	0.09	0.09	0.10	0.11	0.09	0.09	0.09	0.07	0.09	0.08
Crack	0.06	0.06	0.05	0.05	0.06	0.06	0.04	0.05	0.04	0.03	0.05	0.03
Heroin	0.03	0.02	0.03	0.02	0.04	0.02	0.03	0.03	0.03	0.03	0.03	0.03
Hallucinogens	0.07	0.07	0.07	0.06	0.06	0.06	0.06	0.07	0.07	0.06	0.07	0.08
LSD	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.02	0.04	0.03
PCP	0.01	0.01	0.01	0.01	0.02	0.01	0.00	0.01	0.01	0.01	0.01	0.01
Ecstasy	0.06	0.05	0.05	0.05	0.05	0.05	0.04	0.05	0.05	0.04	0.06	0.06
Inhalants	0.04	0.03	0.04	0.04	0.04	0.04	0.05	0.04	0.05	0.04	0.05	0.04
Nonmedical Use of Psychotherapeutics ^{2,3}	0.17	0.17	0.16	0.16	0.16	0.17	0.15	0.16	0.17	0.15	0.17	0.17
Pain Relievers	0.14	0.14	0.13	0.14	0.14	0.14	0.13	0.14	0.14	0.13	0.15	0.14
OxyContin [®]	--	--	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.04	0.04	0.05
Tranquilizers	0.10	0.09	0.09	0.09	0.09	0.10	0.09	0.10	0.09	0.09	0.11	0.10
Stimulants ³	0.07	0.06	0.07	0.06	0.08	0.07	0.05	0.06	0.07	0.06	0.07	0.07
Methamphetamine ³	0.05	0.05	0.06	0.04	0.06	0.05	0.03	0.04	0.04	0.05	0.05	0.05
Sedatives	0.05	0.04	0.03	0.03	0.04	0.04	0.03	0.03	0.04	0.03	0.03	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.20	0.19	0.19	0.18	0.18	0.20	0.18	0.18	0.19	0.17	0.19	0.19

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.14P Types of Illicit Drug Use in the Past Year among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0061	0.0436	0.0009	0.9296	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0006	0.0003	0.1353	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0152	0.1591	0.1805	0.0936	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0018	0.0282	0.9106	0.0293	
Heroin	0.0069	0.0001	0.0045	0.0007	0.4494	0.0025	0.0264	0.4512	0.7276	0.4671	0.9622	
Hallucinogens	0.1806	0.0967	0.0525	0.0412	0.1453	0.0161	0.0009	0.9301	0.9493	0.0601	0.5562	
LSD	0.0673	0.0000	0.0000	0.0000	0.0004	0.0000	0.0015	0.0035	0.0768	0.0215	0.6857	
PCP	0.0090	0.0053	0.0070	0.3278	0.1242	0.3006	0.3369	0.4961	0.9326	0.4511	0.0872	
Ecstasy	0.0034	0.0593	0.0025	0.0118	0.0458	0.0187	0.0064	0.4764	0.6361	0.0929	0.9577	
Inhalants	0.5435	0.9038	0.2696	0.5261	0.3255	0.4482	0.5788	0.3178	0.3016	0.9437	0.9822	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.7149	0.4213	0.9781	0.3276	0.0081	0.0219	0.8428	0.1144	0.1421	0.1715	0.0281	
Pain Relievers	0.4320	0.0423	0.3520	0.0238	0.0002	0.0006	0.0352	0.0039	0.0153	0.8835	0.0054	
OxyContin [®]	--	--	0.2309	0.2784	0.5926	0.9083	0.9317	0.1395	0.0117	0.3490	0.9450	
Tranquilizers	0.7918	0.8389	0.7997	0.4351	0.9751	0.5822	0.8744	0.2970	0.2228	0.5320	0.0254	
Stimulants ³	0.5264	0.0381	0.4405	0.0679	0.2966	0.0509	0.0002	0.1586	0.0221	0.0007	0.4095	
Methamphetamine ³	0.0005	0.0031	0.0001	0.0030	0.0001	0.2396	0.0213	0.9141	0.1535	0.3108	0.8584	
Sedatives	0.0149	0.0955	0.4222	0.3249	0.0246	0.0985	0.7491	0.1974	0.0637	0.2346	0.5614	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0339	0.1084	0.7656	0.3125	0.0122	0.0171	0.7166	0.0705	0.3299	0.0564	0.0509	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.15C Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	379	396	404	430	416	440	422	447	482	453	485	503
Marijuana and Hashish	313	317	349	357	350	353	374	384	401	403	426	437
Cocaine	126	146	119	141	152	149	130	135	106	106	142	132
Crack	67	91	66	87	101	80	55	77	60	42	94	64
Heroin	41	27	36	18	77	38	39	37	43	48	51	42
Hallucinogens	78	68	55	82	68	72	65	89	80	56	89	131
LSD	13	15	22	14	23	32	16	21	17	21	31	36
PCP	14	11	16	11	7	13	*	17	21	10	12	15
Ecstasy	62	53	45	43	50	54	50	67	58	43	71	91
Inhalants	59	37	58	52	66	62	67	52	80	65	62	61
Nonmedical Use of Psychotherapeutics ^{2,3}	227	255	206	232	236	248	221	246	265	228	263	255
Pain Relievers	182	205	164	191	211	211	192	212	212	187	210	205
OxyContin [®]	--	--	35	38	34	53	57	58	67	54	45	80
Tranquilizers	133	116	102	116	114	129	117	135	137	132	161	120
Stimulants ³	92	100	96	79	103	93	74	98	84	88	101	116
Methamphetamine ³	75	80	75	60	79	79	52	67	53	71	75	85
Sedatives	64	54	48	46	68	68	36	54	72	48	49	66
ILLCIT DRUGS OTHER THAN MARIJUANA¹	270	286	247	278	275	303	258	287	296	251	305	305

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.15D Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.18	0.19	0.19	0.20	0.19	0.20	0.19	0.20	0.21	0.19	0.21	0.21
Marijuana and Hashish	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.18	0.17	0.18	0.18
Cocaine	0.06	0.07	0.06	0.06	0.07	0.07	0.06	0.06	0.05	0.05	0.06	0.06
Crack	0.03	0.04	0.03	0.04	0.05	0.04	0.02	0.03	0.03	0.02	0.04	0.03
Heroin	0.02	0.01	0.02	0.01	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02
Hallucinogens	0.04	0.03	0.03	0.04	0.03	0.03	0.03	0.04	0.03	0.02	0.04	0.06
LSD	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02
PCP	0.01	0.01	0.01	0.01	0.00	0.01	*	0.01	0.01	0.00	0.01	0.01
Ecstasy	0.03	0.03	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.02	0.03	0.04
Inhalants	0.03	0.02	0.03	0.02	0.03	0.03	0.03	0.02	0.04	0.03	0.03	0.03
Nonmedical Use of Psychotherapeutics ^{2,3}	0.11	0.12	0.10	0.11	0.11	0.11	0.10	0.11	0.12	0.10	0.11	0.11
Pain Relievers	0.09	0.10	0.08	0.09	0.10	0.09	0.09	0.09	0.09	0.08	0.09	0.09
OxyContin [®]	--	--	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.02	0.02	0.03
Tranquilizers	0.06	0.05	0.05	0.05	0.05	0.06	0.05	0.06	0.06	0.06	0.07	0.05
Stimulants ³	0.04	0.05	0.04	0.04	0.05	0.04	0.03	0.04	0.04	0.04	0.04	0.05
Methamphetamine ³	0.04	0.04	0.03	0.03	0.04	0.04	0.02	0.03	0.02	0.03	0.03	0.04
Sedatives	0.03	0.03	0.02	0.02	0.03	0.03	0.02	0.02	0.03	0.02	0.02	0.03
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.13	0.13	0.11	0.13	0.12	0.14	0.11	0.13	0.13	0.11	0.13	0.13

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.15P Types of Illicit Drug Use in the Past Month among Persons Aged 18 or Older: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0028	0.0385	0.0038	0.3332	
Marijuana and Hashish	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0018	0.0093	0.1758	
Cocaine	0.0017	0.0000	0.0017	0.0000	0.0000	0.0041	0.0449	0.4881	0.8059	0.2926	0.5018	
Crack	0.0173	0.0276	0.2038	0.0028	0.0042	0.0153	0.9906	0.1797	0.8768	0.0568	0.5255	
Heroin	0.1066	0.0016	0.0597	0.0018	0.4451	0.0651	0.2662	0.1159	0.5334	0.9424	0.3518	
Hallucinogens	0.4594	0.0440	0.0075	0.1742	0.0541	0.0478	0.0318	0.5922	0.3123	0.0029	0.2072	
LSD	0.0024	0.0335	0.1432	0.0124	0.1071	0.2654	0.1010	0.2522	0.1065	0.1708	0.7023	
PCP	0.5336	0.4726	0.4970	0.6906	0.7480	0.6037	*	0.4493	0.8497	0.8549	0.9128	
Ecstasy	0.9116	0.0832	0.0542	0.1549	0.2180	0.1820	0.1672	0.5609	0.8207	0.0827	0.6574	
Inhalants	0.9877	0.1993	0.8561	0.5435	0.4049	0.7382	0.8370	0.6132	0.5007	0.6987	0.4427	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.8942	0.6864	0.5512	0.5172	0.0305	0.1382	0.7034	0.1357	0.1826	0.2491	0.4773	
Pain Relievers	0.8601	0.4162	0.8092	0.4087	0.0134	0.0161	0.2942	0.0143	0.0865	0.6998	0.4024	
OxyContin [®]	--	--	0.0478	0.1329	0.0262	0.2333	0.5899	0.9837	0.4742	0.4581	0.1153	
Tranquilizers	0.2749	0.3210	0.9524	0.2849	0.3955	0.4083	0.4650	0.0518	0.0086	0.5765	0.0443	
Stimulants ³	0.7702	0.6786	0.8385	0.2310	0.8711	0.0546	0.0015	0.7193	0.0680	0.0069	0.1686	
Methamphetamine ³	0.3289	0.1964	0.2317	0.7523	0.1906	0.7226	0.0055	0.4357	0.0224	0.1290	0.1643	
Sedatives	0.0300	0.5751	0.6598	0.6232	0.1602	0.2872	0.8724	0.1879	0.2082	0.8514	0.8092	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.3584	0.3757	0.5013	0.2402	0.0119	0.0963	0.9463	0.2256	0.4970	0.0536	0.7508	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.16C Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	75	71	67	75	74	74	68	73	73	77	68	72
Marijuana and Hashish	64	63	61	64	63	65	59	64	67	64	62	62
Cocaine	26	24	24	24	21	23	19	21	21	20	16	15
Crack	11	13	10	9	10	8	7	7	9	13	7	4
Heroin	7	8	9	7	7	8	10	6	7	8	8	6
Hallucinogens	35	33	32	31	30	31	30	32	32	32	27	28
LSD	25	19	17	18	16	13	15	16	15	15	15	16
PCP	13	13	13	14	11	10	10	9	7	7	10	6
Ecstasy	27	21	20	17	19	21	20	25	24	27	20	19
Inhalants	46	49	47	48	47	46	44	47	42	42	36	40
Nonmedical Use of Psychotherapeutics ^{2,3}	51	49	48	51	52	52	45	50	48	46	46	47
Pain Relievers	47	47	46	47	48	47	41	48	46	41	42	43
OxyContin [®]	14	16	17	14	16	17	16	21	19	16	16	15
Tranquilizers	27	26	22	25	23	23	24	22	25	25	25	24
Stimulants ³	30	27	25	27	29	23	20	21	21	21	19	20
Methamphetamine ³	18	17	16	18	17	12	10	11	13	13	11	10
Sedatives	13	16	15	16	13	13	12	14	11	11	10	12
ILLCIT DRUGS OTHER THAN MARIJUANA¹	63	63	61	63	62	66	57	63	60	62	55	59

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.16D Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.59	0.56	0.52	0.58	0.57	0.57	0.54	0.58	0.59	0.60	0.53	0.57
Marijuana and Hashish	0.50	0.49	0.47	0.49	0.48	0.50	0.46	0.51	0.53	0.50	0.49	0.48
Cocaine	0.21	0.18	0.18	0.18	0.16	0.18	0.15	0.17	0.17	0.16	0.13	0.12
Crack	0.09	0.10	0.08	0.07	0.08	0.06	0.06	0.06	0.07	0.10	0.05	0.03
Heroin	0.05	0.06	0.07	0.06	0.05	0.06	0.08	0.05	0.06	0.07	0.07	0.04
Hallucinogens	0.27	0.26	0.25	0.24	0.23	0.24	0.23	0.26	0.25	0.25	0.21	0.22
LSD	0.20	0.15	0.13	0.14	0.12	0.10	0.12	0.13	0.12	0.12	0.12	0.13
PCP	0.10	0.10	0.10	0.11	0.08	0.08	0.08	0.07	0.05	0.06	0.08	0.05
Ecstasy	0.21	0.16	0.16	0.13	0.15	0.16	0.16	0.20	0.19	0.21	0.16	0.15
Inhalants	0.37	0.39	0.37	0.37	0.37	0.36	0.34	0.37	0.33	0.33	0.28	0.31
Nonmedical Use of Psychotherapeutics ^{2,3}	0.41	0.38	0.37	0.39	0.40	0.40	0.36	0.40	0.39	0.36	0.36	0.37
Pain Relievers	0.37	0.37	0.36	0.36	0.37	0.36	0.33	0.38	0.37	0.32	0.33	0.34
OxyContin [®]	0.11	0.12	0.13	0.11	0.12	0.13	0.12	0.16	0.16	0.12	0.13	0.12
Tranquilizers	0.21	0.20	0.17	0.19	0.18	0.18	0.19	0.17	0.20	0.20	0.20	0.19
Stimulants ³	0.24	0.21	0.19	0.21	0.22	0.18	0.16	0.16	0.17	0.17	0.15	0.16
Methamphetamine ³	0.14	0.13	0.13	0.14	0.13	0.09	0.08	0.09	0.10	0.10	0.09	0.07
Sedatives	0.10	0.13	0.12	0.12	0.10	0.10	0.10	0.11	0.09	0.09	0.08	0.09
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.50	0.50	0.47	0.49	0.47	0.51	0.45	0.50	0.48	0.49	0.43	0.46

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.16P Types of Illicit Drug Use in Lifetime among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0047	0.0000	0.0105	0.0113	0.5521	
Marijuana and Hashish	0.0000	0.0000	0.0001	0.2003	0.3474	0.8783	0.8640	0.0378	0.1712	0.0344	0.4012	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0054	0.0342	0.7420	
Crack	0.0001	0.0000	0.0000	0.0014	0.0009	0.0033	0.0439	0.1217	0.0546	0.1104	0.9720	
Heroin	0.0604	0.0791	0.0186	0.1265	0.3895	0.2670	0.1212	0.3779	0.5193	0.1325	0.3339	
Hallucinogens	0.0000	0.0000	0.0000	0.0202	0.0244	0.1492	0.0287	0.0023	0.0083	0.0569	0.8394	
LSD	0.0000	0.0177	0.2776	0.2425	0.2823	0.0732	0.8856	0.8558	0.2928	0.6869	0.3959	
PCP	0.0000	0.0000	0.0000	0.0000	0.0174	0.0087	0.0022	0.0409	0.6033	0.0665	0.0509	
Ecstasy	0.0000	0.0532	0.1557	0.3479	0.8882	0.6893	0.4066	0.0115	0.0099	0.0029	0.6543	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.2365	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0156	0.0001	0.0944	0.1183	0.1214	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0062	0.0000	0.0082	0.0453	0.0358	
OxyContin [®]	0.3575	0.5358	0.2106	0.9387	0.2595	0.0923	0.1857	0.0203	0.0232	0.1364	0.2557	
Tranquilizers	0.0023	0.0007	0.0287	0.0810	0.3196	0.2098	0.2260	0.3559	0.1155	0.3058	0.3646	
Stimulants ³	0.0000	0.0000	0.0000	0.0001	0.0000	0.0202	0.4901	0.7823	0.8395	0.9373	0.3493	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0005	0.0007	0.1504	0.6195	0.7368	0.2265	0.1677	0.9636	
Sedatives	0.4090	0.0058	0.0032	0.0573	0.1587	0.3082	0.2550	0.0659	0.6193	0.7940	0.8511	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0007	0.2227	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.17C Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	66	73	66	67	68	67	71	70	69	69	66	68
Marijuana and Hashish	59	62	59	55	57	56	60	57	56	60	58	60
Cocaine	24	26	24	23	24	23	25	18	18	18	16	13
Crack	13	10	12	10	12	10	10	6	6	9	7	3
Heroin	12	8	8	6	9	7	8	6	6	9	8	7
Hallucinogens	34	35	31	29	29	28	29	30	31	30	27	22
LSD	22	18	16	14	13	12	14	12	15	12	15	11
PCP	14	14	12	12	12	9	7	10	9	7	8	6
Ecstasy	28	24	22	20	22	21	25	23	28	26	23	17
Inhalants	45	45	50	49	45	47	48	45	44	43	38	34
Nonmedical Use of Psychotherapeutics ^{2,3}	52	54	49	50	50	51	51	48	48	46	46	44
Pain Relievers	48	50	47	46	45	49	47	44	45	42	43	39
OxyContin [®]	16	13	16	16	18	17	17	17	19	20	18	15
Tranquilizers	27	28	29	27	28	27	26	25	26	27	30	23
Stimulants ³	35	31	29	31	30	26	31	23	25	22	23	19
Methamphetamine ³	22	19	20	18	21	15	20	16	13	15	12	10
Sedatives	17	15	15	15	14	15	14	16	13	11	13	9
ILLCIT DRUGS OTHER THAN MARIJUANA¹	59	66	58	61	57	60	61	59	61	58	53	52

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.17D Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.54	0.60	0.54	0.54	0.55	0.54	0.58	0.58	0.58	0.57	0.54	0.56
Marijuana and Hashish	0.49	0.51	0.48	0.45	0.46	0.45	0.49	0.47	0.47	0.49	0.47	0.49
Cocaine	0.20	0.21	0.19	0.18	0.19	0.18	0.21	0.15	0.15	0.15	0.13	0.10
Crack	0.11	0.08	0.09	0.08	0.10	0.08	0.08	0.05	0.05	0.07	0.06	0.03
Heroin	0.10	0.07	0.06	0.05	0.07	0.06	0.06	0.05	0.05	0.07	0.07	0.05
Hallucinogens	0.28	0.28	0.25	0.23	0.23	0.22	0.24	0.25	0.26	0.24	0.22	0.18
LSD	0.18	0.15	0.13	0.11	0.10	0.10	0.12	0.10	0.12	0.10	0.12	0.09
PCP	0.12	0.12	0.10	0.10	0.09	0.08	0.06	0.08	0.08	0.06	0.06	0.05
Ecstasy	0.23	0.20	0.18	0.16	0.18	0.17	0.21	0.19	0.23	0.21	0.19	0.14
Inhalants	0.37	0.36	0.41	0.39	0.36	0.38	0.39	0.38	0.37	0.35	0.31	0.28
Nonmedical Use of Psychotherapeutics ^{2,3}	0.43	0.44	0.40	0.40	0.40	0.41	0.42	0.40	0.40	0.37	0.38	0.36
Pain Relievers	0.40	0.41	0.38	0.37	0.36	0.39	0.39	0.36	0.38	0.35	0.35	0.32
OxyContin [®]	0.13	0.10	0.13	0.13	0.14	0.14	0.14	0.14	0.16	0.16	0.15	0.13
Tranquilizers	0.23	0.23	0.23	0.22	0.22	0.22	0.22	0.21	0.22	0.22	0.24	0.19
Stimulants ³	0.29	0.25	0.24	0.25	0.24	0.21	0.26	0.19	0.21	0.18	0.18	0.16
Methamphetamine ³	0.18	0.16	0.16	0.15	0.17	0.12	0.16	0.14	0.11	0.13	0.10	0.08
Sedatives	0.14	0.12	0.12	0.12	0.11	0.12	0.11	0.13	0.11	0.09	0.10	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.49	0.54	0.47	0.49	0.46	0.48	0.50	0.49	0.51	0.47	0.44	0.43

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.17P Types of Illicit Drug Use in Lifetime among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0000	0.0000	0.0003	0.0021	0.0520	
Marijuana and Hashish	0.0000	0.0000	0.0003	0.1537	0.1017	0.4079	0.7311	0.7013	0.7128	0.3159	0.4718	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0014	0.0416	
Crack	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0015	0.0070	0.0141	0.1455	
Heroin	0.0053	0.0209	0.2004	0.4862	0.2322	0.5761	0.3917	0.2485	0.7357	0.1550	0.3025	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0000	0.0000	0.0000	0.0001	0.0003	
LSD	0.0000	0.0000	0.0010	0.0468	0.2757	0.3539	0.0061	0.0344	0.0356	0.3145	0.0132	
PCP	0.0000	0.0000	0.0000	0.0000	0.0001	0.0097	0.0196	0.0066	0.0155	0.1215	0.0044	
Ecstasy	0.0000	0.0000	0.0001	0.0806	0.0001	0.0260	0.0000	0.0000	0.0000	0.0000	0.0002	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0032	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0196	
OxyContin [®]	0.1795	0.0756	0.9415	0.8349	0.0999	0.0820	0.0715	0.0315	0.0667	0.0136	0.3550	
Tranquilizers	0.0000	0.0000	0.0000	0.0006	0.0004	0.0003	0.0024	0.0025	0.0011	0.0105	0.0098	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0019	0.0248	0.0059	
Methamphetamine ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0028	0.0007	0.1666	0.0195	0.1088	
Sedatives	0.0000	0.0001	0.0001	0.0003	0.0000	0.0001	0.0003	0.0002	0.0025	0.1032	0.0024	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

*Low precision; no estimate reported.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.18C Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	65	64	62	66	66	67	58	65	66	67	60	65
Marijuana and Hashish	55	53	53	56	54	57	52	59	60	59	57	57
Cocaine	23	19	20	19	18	18	17	17	16	14	14	11
Crack	8	9	7	7	8	7	6	5	3	5	5	3
Heroin	5	6	8	6	6	5	9	6	6	8	7	6
Hallucinogens	29	25	26	25	22	26	26	28	28	25	23	24
LSD	18	11	13	14	10	11	14	12	12	14	12	13
PCP	8	9	9	11	8	7	8	7	4	5	7	5
Ecstasy	22	15	16	14	14	19	18	21	22	20	15	15
Inhalants	31	33	34	33	32	31	31	29	27	29	21	21
Nonmedical Use of Psychotherapeutics ^{2,3}	42	43	39	41	43	45	38	41	41	37	38	39
Pain Relievers	38	40	37	38	40	40	35	38	40	34	35	34
OxyContin [®]	--	--	13	13	12	13	14	15	16	12	12	11
Tranquilizers	22	22	19	21	18	19	20	18	21	21	20	18
Stimulants ³	24	20	18	19	21	18	15	16	16	16	16	16
Methamphetamine ³	16	12	12	13	14	8	6	7	10	10	9	7
Sedatives	10	13	10	11	11	9	9	12	8	7	7	8
ILLCIT DRUGS OTHER THAN MARIJUANA¹	52	53	49	52	51	55	46	48	50	47	44	45

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.18D Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.52	0.50	0.48	0.51	0.51	0.52	0.46	0.51	0.53	0.53	0.47	0.51
Marijuana and Hashish	0.43	0.42	0.41	0.43	0.42	0.44	0.41	0.47	0.49	0.46	0.45	0.45
Cocaine	0.18	0.15	0.15	0.15	0.14	0.14	0.13	0.14	0.13	0.11	0.11	0.09
Crack	0.06	0.07	0.05	0.05	0.06	0.05	0.05	0.04	0.02	0.04	0.04	0.02
Heroin	0.04	0.05	0.06	0.04	0.04	0.04	0.07	0.04	0.05	0.06	0.05	0.04
Hallucinogens	0.23	0.20	0.20	0.19	0.17	0.20	0.20	0.22	0.22	0.20	0.18	0.19
LSD	0.15	0.09	0.10	0.10	0.07	0.09	0.11	0.09	0.10	0.11	0.09	0.10
PCP	0.06	0.07	0.07	0.09	0.06	0.06	0.06	0.06	0.03	0.04	0.06	0.04
Ecstasy	0.18	0.12	0.12	0.11	0.11	0.14	0.14	0.17	0.18	0.16	0.12	0.12
Inhalants	0.25	0.26	0.26	0.26	0.25	0.24	0.24	0.23	0.22	0.23	0.17	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.33	0.33	0.30	0.32	0.33	0.35	0.30	0.33	0.33	0.29	0.29	0.30
Pain Relievers	0.30	0.31	0.29	0.30	0.31	0.31	0.27	0.30	0.32	0.26	0.27	0.27
OxyContin [®]	--	--	0.10	0.10	0.09	0.10	0.11	0.12	0.13	0.09	0.09	0.09
Tranquilizers	0.17	0.17	0.14	0.16	0.14	0.15	0.16	0.14	0.17	0.17	0.16	0.14
Stimulants ³	0.19	0.15	0.14	0.14	0.16	0.14	0.12	0.13	0.13	0.12	0.13	0.13
Methamphetamine ³	0.12	0.09	0.09	0.10	0.11	0.06	0.05	0.06	0.08	0.08	0.07	0.05
Sedatives	0.08	0.10	0.08	0.08	0.08	0.07	0.07	0.10	0.06	0.06	0.05	0.07
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.41	0.41	0.38	0.40	0.39	0.42	0.36	0.38	0.40	0.37	0.35	0.36

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.18P Types of Illicit Drug Use in the Past Year among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0001	0.0079	0.0172	0.0249	0.0545	0.0005	0.0290	0.0826	0.9888	
Marijuana and Hashish	0.0004	0.0516	0.1973	0.7072	0.3327	0.4166	0.4788	0.1263	0.2241	0.1126	0.9840	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0005	0.0242	0.0197	0.4313	
Crack	0.0003	0.0000	0.0007	0.0271	0.0034	0.0105	0.0771	0.1154	0.7443	0.0996	0.8131	
Heroin	0.6386	0.9084	0.1222	0.9959	0.7703	0.9086	0.3832	0.8638	0.7057	0.5520	0.8888	
Hallucinogens	0.0000	0.0108	0.0117	0.1396	0.5677	0.2367	0.0204	0.0013	0.0127	0.0464	0.7256	
LSD	0.0001	0.1335	0.7956	0.6767	0.0029	0.1811	0.2664	0.6927	0.2024	0.9887	0.3846	
PCP	0.0017	0.0054	0.0289	0.0254	0.3211	0.0773	0.0279	0.2709	0.5891	0.6657	0.6281	
Ecstasy	0.0000	0.9770	0.9415	0.3836	0.5368	0.3401	0.3770	0.0044	0.0109	0.0031	0.4037	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.2545	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0001	0.0000	0.0001	0.0108	0.0053	0.1075	0.0696	0.3789	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0017	0.0003	0.0187	0.0175	0.1106	
OxyContin [®]	--	--	0.1369	0.1232	0.1961	0.0468	0.0048	0.0427	0.0335	0.0725	0.1151	
Tranquilizers	0.0041	0.0018	0.0356	0.0390	0.3581	0.1021	0.0337	0.0837	0.2109	0.0984	0.5949	
Stimulants ³	0.0000	0.0000	0.0061	0.0447	0.0034	0.2030	0.9778	0.9567	0.8336	0.7482	0.7944	
Methamphetamine ³	0.0001	0.0002	0.0089	0.0035	0.0068	0.5202	0.9350	0.8000	0.2824	0.3245	0.6187	
Sedatives	0.3211	0.0267	0.0509	0.1728	0.0916	0.4347	0.2497	0.0098	0.4080	0.9246	0.7105	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0004	0.3453	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.19C Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	63	64	63	60	61	58	63	61	64	61	60	60
Marijuana and Hashish	53	55	54	50	51	48	52	48	53	55	53	54
Cocaine	23	19	19	19	20	20	17	14	16	15	14	10
Crack	11	9	8	7	8	9	5	4	4	4	6	3
Heroin	10	5	6	5	6	4	6	5	5	9	6	5
Hallucinogens	27	26	26	24	25	23	25	26	29	23	22	18
LSD	16	11	10	10	10	9	11	8	12	11	11	9
PCP	10	8	7	9	8	6	5	7	7	5	8	4
Ecstasy	22	17	17	15	18	18	22	20	26	21	18	11
Inhalants	30	31	34	33	32	30	31	30	32	29	27	20
Nonmedical Use of Psychotherapeutics ^{2,3}	43	46	45	44	43	42	42	42	42	38	38	32
Pain Relievers	40	42	43	39	39	40	39	40	40	36	33	30
OxyContin [®]	--	--	13	12	13	14	12	13	17	14	13	11
Tranquilizers	24	24	24	21	24	24	21	20	21	23	24	16
Stimulants ³	25	23	21	24	25	20	23	18	20	17	16	14
Methamphetamine ³	17	13	14	14	15	12	13	11	11	12	8	8
Sedatives	13	11	11	12	8	12	11	10	12	9	9	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	51	56	52	50	49	48	52	51	55	45	45	39

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.19D Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.52	0.52	0.51	0.48	0.49	0.47	0.52	0.51	0.54	0.50	0.50	0.50
Marijuana and Hashish	0.44	0.45	0.44	0.40	0.41	0.39	0.43	0.40	0.45	0.45	0.44	0.44
Cocaine	0.19	0.16	0.15	0.15	0.16	0.16	0.14	0.11	0.14	0.12	0.11	0.09
Crack	0.09	0.07	0.06	0.06	0.07	0.07	0.04	0.03	0.03	0.04	0.05	0.02
Heroin	0.08	0.04	0.05	0.04	0.05	0.03	0.05	0.04	0.04	0.07	0.05	0.04
Hallucinogens	0.23	0.22	0.21	0.19	0.20	0.18	0.21	0.21	0.24	0.19	0.18	0.15
LSD	0.13	0.09	0.08	0.08	0.08	0.07	0.09	0.07	0.10	0.09	0.09	0.08
PCP	0.08	0.06	0.06	0.07	0.06	0.05	0.04	0.06	0.06	0.04	0.06	0.04
Ecstasy	0.18	0.14	0.14	0.12	0.14	0.14	0.18	0.16	0.22	0.17	0.15	0.09
Inhalants	0.25	0.25	0.27	0.27	0.26	0.24	0.26	0.25	0.27	0.23	0.22	0.17
Nonmedical Use of Psychotherapeutics ^{2,3}	0.36	0.38	0.36	0.35	0.35	0.34	0.34	0.35	0.35	0.31	0.31	0.27
Pain Relievers	0.33	0.34	0.35	0.32	0.31	0.33	0.32	0.33	0.33	0.29	0.27	0.25
OxyContin [®]	--	--	0.10	0.09	0.11	0.12	0.10	0.11	0.14	0.11	0.10	0.09
Tranquilizers	0.20	0.19	0.19	0.17	0.19	0.19	0.17	0.16	0.18	0.18	0.20	0.13
Stimulants ³	0.21	0.19	0.17	0.20	0.20	0.16	0.19	0.15	0.17	0.14	0.13	0.11
Methamphetamine ³	0.14	0.10	0.11	0.11	0.12	0.09	0.10	0.09	0.09	0.10	0.07	0.06
Sedatives	0.10	0.09	0.09	0.10	0.06	0.10	0.09	0.08	0.10	0.08	0.08	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.42	0.46	0.43	0.40	0.39	0.39	0.42	0.42	0.46	0.37	0.37	0.32

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.19P Types of Illicit Drug Use in the Past Year among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0353	0.0010	0.0010	0.0001	0.0017	0.0346	
Marijuana and Hashish	0.0001	0.0029	0.0315	0.9410	0.8059	0.0208	0.6639	0.3116	0.6197	0.3995	0.8968	
Cocaine	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0214	0.0004	0.0011	0.0432	
Crack	0.0000	0.0000	0.0010	0.0005	0.0000	0.0001	0.0298	0.0676	0.1608	0.1204	0.3197	
Heroin	0.1452	0.5752	0.9193	0.5331	0.3688	0.2300	0.8683	0.7764	0.9645	0.0986	0.9033	
Hallucinogens	0.0000	0.0000	0.0000	0.0000	0.0000	0.0006	0.0001	0.0000	0.0000	0.0014	0.0042	
LSD	0.0000	0.0959	0.4521	0.6914	0.8883	0.8235	0.3130	0.8999	0.4453	0.5529	0.2176	
PCP	0.0000	0.0005	0.0193	0.0057	0.0271	0.1466	0.0789	0.2673	0.2071	0.2752	0.0979	
Ecstasy	0.0000	0.0000	0.0002	0.0486	0.0000	0.0009	0.0001	0.0000	0.0000	0.0000	0.0007	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0023	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0285	
OxyContin [®]	--	--	0.3220	0.6371	0.1463	0.0184	0.1272	0.0229	0.0239	0.0239	0.5309	
Tranquilizers	0.0000	0.0000	0.0000	0.0010	0.0001	0.0001	0.0025	0.0022	0.0003	0.0027	0.0017	
Stimulants ³	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0037	0.0101	0.1378	0.0324	
Methamphetamine ³	0.0000	0.0000	0.0001	0.0003	0.0000	0.0114	0.1659	0.2118	0.3020	0.1438	0.7518	
Sedatives	0.0000	0.0106	0.0013	0.0118	0.0394	0.0082	0.0060	0.0433	0.0043	0.0734	0.0777	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.20C Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	52	47	44	49	46	54	43	48	52	50	47	46
Marijuana and Hashish	44	43	39	43	39	44	38	45	47	46	41	42
Cocaine	12	10	12	13	9	9	10	10	9	5	4	6
Crack	4	7	4	6	2	2	2	4	*	2	1	1
Heroin	3	5	4	4	2	2	4	4	1	6	*	2
Hallucinogens	14	15	15	13	11	13	16	16	16	16	13	14
LSD	8	7	7	7	4	7	8	5	8	7	3	8
PCP	4	5	4	4	3	5	4	4	2	2	3	1
Ecstasy	10	8	10	7	8	8	10	12	10	10	7	7
Inhalants	16	16	16	18	18	19	17	16	15	13	13	10
Nonmedical Use of Psychotherapeutics ^{2,3}	30	28	26	26	27	29	22	24	24	24	26	23
Pain Relievers	26	26	24	24	25	26	20	22	23	21	23	20
OxyContin [®]	--	--	7	6	5	6	7	9	8	8	8	4
Tranquilizers	11	14	12	13	9	12	10	9	11	12	12	9
Stimulants ³	17	13	13	14	12	9	9	10	9	8	10	8
Methamphetamine ³	13	8	8	10	7	4	5	5	4	4	3	5
Sedatives	3	8	2	4	7	6	3	8	5	4	3	6
ILLCIT DRUGS OTHER THAN MARIJUANA¹	36	32	32	33	33	37	30	30	30	30	31	27

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.20D Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.41	0.37	0.34	0.38	0.36	0.42	0.34	0.38	0.42	0.39	0.37	0.36
Marijuana and Hashish	0.35	0.34	0.30	0.33	0.30	0.34	0.30	0.36	0.37	0.36	0.32	0.33
Cocaine	0.10	0.08	0.09	0.10	0.07	0.07	0.08	0.08	0.07	0.04	0.03	0.05
Crack	0.03	0.05	0.03	0.04	0.02	0.02	0.02	0.03	*	0.01	0.01	0.01
Heroin	0.02	0.04	0.03	0.03	0.01	0.01	0.03	0.03	0.01	0.05	*	0.02
Hallucinogens	0.11	0.11	0.11	0.10	0.09	0.10	0.13	0.12	0.12	0.13	0.10	0.11
LSD	0.07	0.06	0.05	0.06	0.03	0.06	0.06	0.04	0.07	0.05	0.03	0.06
PCP	0.03	0.04	0.03	0.03	0.02	0.04	0.03	0.03	0.01	0.01	0.02	0.01
Ecstasy	0.08	0.06	0.08	0.05	0.06	0.06	0.08	0.09	0.08	0.08	0.05	0.06
Inhalants	0.13	0.13	0.12	0.14	0.14	0.15	0.14	0.13	0.12	0.10	0.10	0.08
Nonmedical Use of Psychotherapeutics ^{2,3}	0.23	0.22	0.20	0.20	0.21	0.22	0.17	0.19	0.19	0.18	0.20	0.18
Pain Relievers	0.21	0.20	0.18	0.18	0.20	0.20	0.15	0.18	0.19	0.17	0.18	0.16
OxyContin [®]	--	--	0.05	0.04	0.04	0.05	0.05	0.07	0.06	0.06	0.06	0.03
Tranquilizers	0.08	0.11	0.09	0.10	0.07	0.09	0.08	0.07	0.09	0.09	0.09	0.07
Stimulants ³	0.13	0.11	0.10	0.10	0.09	0.07	0.07	0.08	0.08	0.06	0.08	0.07
Methamphetamine ³	0.10	0.06	0.06	0.08 ³	0.06	0.03	0.04	0.04	0.03	0.03	0.02	0.04
Sedatives	0.02	0.06	0.01	0.03	0.05	0.04	0.02	0.06	0.04	0.03	0.02	0.05
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.28	0.25	0.25	0.26	0.25	0.28	0.23	0.24	0.24	0.23	0.24	0.21

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.20P Types of Illicit Drug Use in the Past Month among Males Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0006	0.0536	0.3058	0.6362	0.4139	0.8187	0.0417	0.1509	0.0261	0.9260	
Marijuana and Hashish	0.0118	0.1636	0.7359	0.3450	0.0236	0.4489	0.1873	0.2954	0.3718	0.0222	0.3311	
Cocaine	0.0000	0.0000	0.0001	0.0000	0.0073	0.0075	0.0004	0.0426	0.1002	0.6530	0.3286	
Crack	0.0705	0.0049	0.0821	0.0535	0.3389	0.4638	0.1960	0.4398	*	0.8700	0.3329	
Heroin	0.5530	0.5178	0.1490	0.2117	0.5397	0.7384	0.3686	0.4095	0.4159	0.5365	*	
Hallucinogens	0.0966	0.0473	0.2981	0.9419	0.4447	0.8504	0.0217	0.1216	0.3439	0.0955	0.7643	
LSD	0.8813	0.4266	0.2150	0.2577	0.0031	0.2441	0.9843	0.1391	0.6211	0.3411	0.0035	
PCP	0.0327	0.0260	0.1892	0.1596	0.2146	0.1287	0.0530	0.1417	0.4435	0.6784	0.5096	
Ecstasy	0.0170	0.4471	0.2208	0.7894	0.4463	0.6995	0.0225	0.0090	0.0845	0.0219	0.8990	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0002	0.0014	0.0014	0.0194	0.1151	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0001	0.0001	0.0004	0.0901	0.0049	0.3682	0.1834	0.1403	
Pain Relievers	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0359	0.0002	0.0502	0.0688	0.0497	
OxyContin [®]	--	--	0.0189	0.3656	0.2596	0.0539	0.0042	0.0016	0.0584	0.0320	0.0421	
Tranquilizers	0.0364	0.0000	0.0217	0.0087	0.7722	0.0054	0.1186	0.1963	0.1497	0.0295	0.4739	
Stimulants ³	0.0009	0.0001	0.0034	0.0354	0.0174	0.7705	0.4172	0.4424	0.6195	0.9029	0.5967	
Methamphetamine ³	0.0517	0.0428	0.2653	0.0310	0.2415	0.6038	0.6983	0.5542	0.4705	0.9763	0.4333	
Sedatives	0.1289	0.2534	0.0632	0.3599	0.5749	0.9071	0.2263	0.3538	0.8832	0.4280	0.1646	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0001	0.0129	0.0075	0.1237	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.21C Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Numbers in Thousands, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	44	45	50	43	45	44	44	45	49	44	46	41
Marijuana and Hashish	35	39	38	35	37	35	39	36	40	38	39	37
Cocaine	13	12	9	10	10	10	7	7	7	10	6	7
Crack	7	3	3	5	3	4	1	2	2	1	*	*
Heroin	5	4	2	2	5	*	5	2	3	4	*	4
Hallucinogens	15	13	12	14	14	11	14	12	14	14	12	10
LSD	9	7	4	3	6	3	7	5	5	4	5	6
PCP	4	3	3	4	3	*	2	3	2	1	*	3
Ecstasy	12	10	7	9	9	8	11	10	12	12	9	5
Inhalants	16	19	20	16	18	17	16	15	17	15	14	11
Nonmedical Use of Psychotherapeutics ^{2,3}	30	31	31	26	28	28	26	28	30	24	27	21
Pain Relievers	28	28	28	24	25	25	22	26	26	22	23	19
OxyContin [®]	--	--	8	5	3	5	5	6	6	6	6	5
Tranquilizers	14	16	12	10	11	15	13	12	11	13	16	8
Stimulants ³	13	14	14	12	12	11	9	11	12	10	10	8
Methamphetamine ³	7	8	9	8	8	7	4	6	7	7	5	3
Sedatives	8	6	6	5	5	7	8	5	6	4	6	3
ILLCIT DRUGS OTHER THAN MARIJUANA¹	35	37	38	31	33	33	31	34	37	29	31	25

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.21D Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: Standard Errors of Percentages, 2002-2013

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.37	0.37	0.40	0.35	0.36	0.35	0.36	0.38	0.41	0.36	0.38	0.34
Marijuana and Hashish	0.29	0.32	0.31	0.29	0.29	0.29	0.32	0.30	0.34	0.31	0.32	0.30
Cocaine	0.11	0.10	0.07	0.08	0.08	0.08	0.06	0.06	0.05	0.08	0.05	0.06
Crack	0.06	0.03	0.03	0.04	0.03	0.03	0.01	0.01	0.02	0.01	*	*
Heroin	0.04	0.03	0.02	0.01	0.04	*	0.04	0.02	0.02	0.03	*	0.03
Hallucinogens	0.12	0.11	0.10	0.11	0.11	0.09	0.11	0.10	0.12	0.11	0.09	0.08
LSD	0.07	0.06	0.04	0.03	0.05	0.02	0.05	0.04	0.04	0.03	0.04	0.05
PCP	0.03	0.02	0.02	0.03	0.03	*	0.02	0.02	0.02	0.01	*	0.03
Ecstasy	0.10	0.08	0.06	0.07	0.07	0.06	0.09	0.08	0.10	0.10	0.08	0.04
Inhalants	0.13	0.15	0.16	0.13	0.15	0.14	0.13	0.13	0.15	0.12	0.11	0.09
Nonmedical Use of Psychotherapeutics ^{2,3}	0.25	0.25	0.25	0.21	0.22	0.23	0.21	0.23	0.25	0.20	0.22	0.17
Pain Relievers	0.23	0.23	0.23	0.19	0.20	0.20	0.18	0.21	0.22	0.18	0.19	0.15
OxyContin [®]	--	--	0.07	0.04	0.03	0.04	0.04	0.05	0.05	0.05	0.05	0.04
Tranquilizers	0.11	0.13	0.09	0.08	0.09	0.12	0.10	0.10	0.10	0.10	0.13	0.07
Stimulants ³	0.10	0.11	0.11	0.10	0.10	0.09	0.07	0.09	0.10	0.08	0.08	0.06
Methamphetamine ³	0.05	0.06	0.07	0.06	0.06	0.05	0.03	0.05	0.06	0.06	0.05	0.03
Sedatives	0.07	0.05	0.04	0.04	0.04	0.06	0.06	0.04	0.05	0.04	0.05	0.02
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.29	0.30	0.31	0.25	0.27	0.26	0.25	0.28	0.31	0.24	0.25	0.20

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.

Table 7.21P Types of Illicit Drug Use in the Past Month among Females Aged 12 to 17: P Values from Tests of Differences of Percentages, 2013 Versus 2002-2012

Drug	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013
ILLCIT DRUGS¹	0.0000	0.0000	0.0000	0.0006	0.0004	0.0341	0.0361	0.0030	0.0006	0.0062	0.0024	
Marijuana and Hashish	0.0210	0.0287	0.0506	0.8656	0.5826	0.3616	0.7339	0.8727	0.7054	0.2734	0.0957	
Cocaine	0.0033	0.0000	0.0223	0.0020	0.0027	0.0077	0.2458	0.7456	0.9927	0.1045	0.4667	
Crack	*	*	*	*	*	*	*	*	*	*	*	
Heroin	0.5861	0.7469	0.3565	0.3646	0.4510	*	0.6318	0.5071	0.7014	0.7115	*	
Hallucinogens	0.0001	0.0001	0.0355	0.0038	0.0142	0.3794	0.0188	0.0424	0.0098	0.1592	0.4517	
LSD	0.4683	0.3773	0.8958	0.2548	0.5064	0.1348	0.9401	0.8265	0.8729	0.3739	0.9445	
PCP	0.2130	0.8097	0.7286	0.4299	0.9364	*	0.9536	0.8834	0.5540	0.2494	*	
Ecstasy	0.0006	0.0019	0.1627	0.0366	0.0134	0.2517	0.0314	0.0066	0.0001	0.0120	0.0290	
Inhalants	0.0000	0.0000	0.0000	0.0000	0.0000	0.0004	0.0002	0.0007	0.0000	0.0006	0.0191	
Nonmedical Use of Psychotherapeutics ^{2,3}	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0008	0.0001	0.0000	0.0038	0.0044	
Pain Relievers	0.0000	0.0000	0.0000	0.0001	0.0001	0.0008	0.0049	0.0001	0.0001	0.0047	0.0126	
OxyContin [®]	--	--	0.0678	0.7939	0.1318	0.6785	0.7484	0.1961	0.8778	0.7345	0.9084	
Tranquilizers	0.0000	0.0003	0.0100	0.0389	0.0354	0.0035	0.0059	0.0071	0.0684	0.0081	0.0327	
Stimulants ³	0.0000	0.0000	0.0017	0.0003	0.0008	0.0060	0.1379	0.0091	0.1773	0.2289	0.0363	
Methamphetamine ³	0.0034	0.0005	0.0081	0.0077	0.0211	0.0541	0.4515	0.1477	0.3129	0.0724	0.0508	
Sedatives	0.0002	0.0988	0.0455	0.1372	0.0135	0.1897	0.0284	0.2457	0.0627	0.3516	0.1108	
ILLCIT DRUGS OTHER THAN MARIJUANA¹	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0000	0.0001	0.0093	

*Low precision; no estimate reported.

-- Not available.

NOTE: Some 2006 to 2010 estimates used in the comparisons may differ from previously published estimates due to updates (see Section B.3 in Appendix B of the *Results from the 2013 National Survey on Drug Use and Health: National Findings*).

¹ Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically. The estimates for Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine incorporated in these summary estimates do not include data from new methamphetamine items added in 2005 and 2006. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

² Nonmedical use of prescription-type psychotherapeutics includes the nonmedical use of pain relievers, tranquilizers, stimulants, or sedatives and does not include over-the-counter drugs.

³ Estimates of Nonmedical Use of Psychotherapeutics, Stimulants, and Methamphetamine in the designated rows include data from new methamphetamine items added in 2005 and 2006 and are not comparable with estimates presented in NSDUH reports prior to the 2007 National Findings report. For the 2002 through 2005 survey years, a Bernoulli stochastic imputation procedure was used to generate adjusted estimates comparable with estimates for survey years 2006 and later. See Section B.4.8 in Appendix B of the *Results from the 2008 National Survey on Drug Use and Health: National Findings*.

Source: SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health, 2002-2013.